




DETAILS - FRESH WATER INLET
SCALE 1/2" = 1'-0"




NOTE:
ELECTRICAL DUCT RUN TO BE SEALED WITH 4"x4" POST, PAINTED RED WITH 1 FOOT OF IT EMBEDDED ABOVE FINISH GRADE TO NUTS & THE END OF DUCT SEE DETAIL BELOW.




DRAIN DIMENSION
SCALE 1/2" = 1'-0"




VALVE PIT DETAIL
SCALE 1/2" = 1'-0"




TYPICAL SECTION SLAB & JOINT
SCALE 3/8" = 1'-0"




TYPICAL SECTION 2-2
SCALE 3/8" = 1'-0"



SECTION A-A
SCALE 3/8" = 1'-0"




FOOTING PLAN
SCALE 1" = 5'-0"




SECTION B-B
SCALE 3/8" = 1'-0"




PLAN
SCALE 1" = 5'-0"




SECTION DD
SCALE 3/8" = 1'-0"



TYPICAL SECTION 1-1
SCALE 3/8" = 1'-0"



SECTION C-C
SCALE 3/8" = 1'-0"



NOTE:
STRENGTH OF CONCRETE AT 28 DAYS: 3,500 PSI
ASSUMED SOIL RESISTANCE: MAX. 1,800 LB/SQ. FT.
USE HALF-GRADE DEFORMED BARS.

SEAL POOL
CHILDREN'S ZOO
LAFONTAINE PARK
MONTREAL, CANADA
SCALE: 1/4"
DRAWN BY: [Signature]
DATE: 8/1/66
REVISIONS: 2/21/57
SHEET No. 7
OF 10 SHEETS
McFadzean & Everly, Ltd.
MONTREAL, CANADA
REV. 5/25/57
REV. 6/21/57
REV. 4/10/57