

P23/E2,252

M. Henri de la Roche 31 Mai 1905

M. de la Roche
Et Messrs les Bénévoles
de la Cité de St. Henri



Messieurs J'ai l'honneur de vous
soumettre que j'entreprendrai
de faire l'élevage des Vidanges
de la Cité de St. Henri pour la somme
de deux mille quatre cents francs
par an. Pour un terme de
trois années, payables deux cents
francs par mois. Je m'engage
à faire ce travail à votre plus
grande satisfaction.

Votre humble secrétaire
H. X. Parent.

Toppe par M. J. Gauthier
de la Cité de St. Henri
qui a accepté par le Bureau de
Messrs les Bénévoles de la Cité de St. Henri

Adopté à l'unanimité
le 30 Mars 1905
par le Bureau de
Messrs les Bénévoles de la Cité de St. Henri

CITE DE SAINT-HENRI

Archive No. 10598

J. L. Parent

*Soumission re euléri-
ment des vivanges.*

31 9/05



P23/E2,252

10598

P23/E2,252

Province de Québec :
Cité de Saint Henri:
.....

Aux Habitants de la Cité de Saint Henri et à tous ceux qu'il
appartiendra.

AVIS PUBLIC est par le présent donné que le Rôle de Perception
des taxes d'a. faires imposées et prélevées par le Rè. glement No.
155 pour la Cité de Saint Henri, Quartiers St. Antoine, St. Henri, St.
Jacques et St. Augustin, fait et préparé par l'Estimateur soussigné
nommé par le Conseil de la dite Cité en date du Troisième jour de
Mai Mil neuf cent cinq, est déposé au Bureau du soussigné à l'Ho-
tel-de-Ville de la Cité de Saint Henri pour l'information des in-
téressés ou de leurs représentants.

Le dit rôle, Quartiers st. Antoine, St. Henri, St. Jacques et St. Augus-
tin restera ouvert à l'inspection des intéressés ou de leurs re-
présentants durant huit jours de cette date.

AVIS est de plus donné que l'Estimateur soussigné procédera à la
révision et homologation du dit rôle pour les quartiers susmentio-
nés, Vendredi le le Neuvième jour de Juin 1905, conformément à la
loi.

Donné à Saint Henri en la dite Cité de Saint Henri, ce Trente-
unième jour de Mai Mil neuf cent ~~XIXXXV~~ cinq

J. B. D. Aguin
Estimateur.

P23/E2,252

Province of Quebec
City of Saint Henri

*Province de Québec
Ville de Saint-Henri*

To the Inhabitants of the City of Saint Henri and to all whom
it may concern.

Le conseil municipal de la Ville de Saint-Henri a l'honneur de vous adresser le rapport de la Commission d'évaluation des propriétés bâties de la Ville de Saint-Henri, dressé en vertu de la Loi sur l'évaluation des propriétés bâties, en date du 30 mai 1905.

PUBLIC NOTICE is hereby given that the assessment roll
of business taxes imposed by By-Law No. 125 for the City of Saint
Henri, and prepared by the Valuator named by the Council of
the City of Saint Henri, on the 30th day of May, 1905,
is now deposited in the office of the Valuator for the informa-
tion of all parties interested, or of their representatives, during
Eight days from this date.

Le Valuateur a l'honneur de vous adresser le rapport de la Commission d'évaluation des propriétés bâties de la Ville de Saint-Henri, dressé en vertu de la Loi sur l'évaluation des propriétés bâties, en date du 30 mai 1905.

NOTICE is also given that the undersigned Assessor will proceed
to the revision and homologation of the said roll for the above
mentioned wards on ~~XXXXXXXXXX~~ Friday the Ninth day of June
1905., according to Law.
Given at Saint Henri, in the said City of Saint Henri, this thirty
first day of May One thousand nine hundred and five.

J. B. D. Aguin
Valuator.

P23/E2,252

Province de Quebec }
Cite de Saint Henri }

Je soussigné J.B. Dolor,
Aguin, Constable Special de la Cite de
Saint-Henri resident a Saint-Henri, fais
rapport sous mon serment d'office
que j'ai affiche trois vrais copies de
l'avis ci-joint, dans les langues francai-
ses et anglaise, au lieu ordinaire
des affiches, pour la Cite de Saint-Henri.

En foi de quoi j'ai donne le present
certificat pour servir et valoir ce que
de droit.

Saint-Henri, 2 Juin 1905. J.B. Dolor
Constable Special

J.B. Dolor

CITE DE SAINT-HENRI

Archive No. 10599

Avis en retour
re dépôt du Rôle
de taxes d'affaires.
31/5/05



P23/E2,252

10599

10600

P23/E2,252

M. Henri de la Cour, Juin 1905
 M. de la Cour &
 M. de la Cour
 de la Cour de la Cour
 Comme suite à la sou-
 mission présentée ce jour.
 Re fidanges Je m'engage
 à faire comme par le passé
 l'enterrement des défunts
 morts trouvés dans les
 rues etuelles de la Cour de
 M. Henri. Volontairement
 J. V. Parent.



CITE DE SAINT-HENRI

Archive No. 10600

F. C. Parent,

*re animaux morts
dans les rues.*

1/6/05



P23/E2,252

10600

5 juin 1905
Province de Québec
Cité de St-Henri

M. Chas. Poitier

Une assemblée de Comité
général du Conseil de la Cité est tenue
à Saint-Henri au lieu ordinaire
des assemblées des dits Comités, le
Cinquième jour de Juin 1905 pour un
quorum M. M. le Maire, Guay, M. M.
J. A. Mays, J. A. Senecal
Prés. Séguin - sous la présidence de
M. le Maire:

Il est ordonné et statué par résolution
du Comité général comme suit:-

Le compte de M. Coderre est présenté au
Comité et repis à la prochaine assemblée
Lu une lettre de M. Coderre concernant
le projet de canalisation du gouvernement
de la petite rivière

St-Pierre. Le projet est adopté et le Maire
et Guay autorisés à signer la dite requête
Lu une lettre de M. Coderre et appel de la
décision de la Commission de Chemins de
fer dans la cause d'occupation par le
Grand Terres, du terrain du dépôt
M. Coderre est autorisé à se présenter
devant la Commission et appuyer telle
demande en appel -

Le compte de M. Coderre pour dépenses pour
cause de Laout de la Cité est approuvé
et le Guay autorisé à payer \$34.70

Lu un rapport de M. E. Hébert par
J. E. Vanier sur la réclamation de
Hébert. Les conclusions du dit rapport
étant que le demandeur n'est pas
pu de sa réclamation -

Lecture est faite d'une lettre de M.
Henry Thape offrant de poser un



10601
 système de téléphone particulier de
 "International Telephone Mfg. Co."

Lecture est faite d'une lettre de Co. Montreal
 Water & Power Co. re. pose d'un service
 d'eau chez M. Lévesque Lambert, service
 sur la rue St-Reni. - et service sur la
 rue Daguais -

Le Greffier est autorisé d'informer la C.C.
 que le pourcentage requis par le contrat
 garantissant la pose des services d'eau
 est suffisant pour la rue Daguais et que
 la C.C. ait à donner le service d'eau

Lecture est faite d'une lettre de M. M. Guisan
 du Grand Tronc R. Systems, en re. arrêt des
 trains à la station Saint-Henri -

Lecture est faite d'une lettre et d'un rapport
 de M. J. E. Vanier sur reconstructions de gout
 sur la balence de la rue Poplar. Le
 coût probable des travaux devant
 être de \$1750⁰⁰ @ \$2000⁰⁰.

Permis est accordé au M. J. E. Vanier soit
 autorisé à demander des soupçons.

Les rapports sur le fonctionnement des
 lampes électriques sont présentés et

Lecture est faite d'une lettre de l'Associa-
 tion de parents de Saint-Henri invitants
 le Conseil à la fête patronale le 18 Juin.
 Le Conseil remercie l'association de son
 invitation et les membres ~~de~~ Comité
 assisteront à la fête

Lecture est faite d'une lettre de

La United State Fidelity and Guaranty
Company, sur le caution du Goffin et
Lévesque

Resolu et adopté que cette garantie soit
acceptée et que M. le Maire soit autorisé à
signer si requis les documents y rattachés

Les lectures est faite dans cette des
Comité de l'annexion de Montréal devant
le Comité d'annexion de Saint-Henri in
une séance de la Commission à l'Hôtel de
Ville le 31 Mai courant à 4 1/2 heures
M. le Maire fait rapport que la séance
a eu lieu et que les conditions de l'annexion
tel qu'il avait été décidé ont été accep-
tées

Lecture est faite d'une lettre de Monsieur
R. E. J. Pangle demandant au Conseil
des avantages pour l'établissement d'une
manufacture à Saint-Henri par une
exemption de taxes.

L. Goffin est chargé d'expliquer au Conseil
que le Conseil doit en encourageant et
blémement des industries sur le territoire
de Saint-Henri ne peut accorder d'ex-
emption de taxes.

Lecture est faite d'un projet de la Banque
Molson sur le Houle et la Cité de Saint-Henri
relativement à la délimitation ou l'acquisition
d'une série de terrains vendus par la
Cité qui des rues St-Henri et Notre
Dame.

Resolu que M. le Maire soit délégué auprès
des autorités de la Banque Molson et lui
offrir le monument que la Banque fera

Lecture est faite d'une lettre de M. Hubé
offrant de vendre au Chamber - referé

Lecture est faite d'une pétition signée par
les membres de la brigade de feu et police
demandant une augmentation annuelle
référé au Président du Comité de feu et
police -

Lecture est faite d'une lettre de M. ~~Pelletier~~
~~Leclerc~~ & Leclerc au sujet de réclamations
pour dommages, changements de mur au sur
Notre Dame - referé

Lecture est faite d'une lettre de l'Union
de Municipalités Canadiennes informant le
Conseil de voter une délégation au sujet
de demande de compagnies de téléphone
à Ottawa.

Lecture est faite d'une lettre de M. J.
Joseph au sujet de fête nationale

Une lettre de la Municipal Water Works
demandant au Conseil de faire
réparer les murs du bureau de collecter
l'eau.

Une lettre de M. J. O'Neil accusant
réception du rapport Montclair in re
subway sur St. Elizabeth

Une lettre de M. Wm. Rutherford offrant
de vendre de la terre pour construction de
écoles, hôpitaux etc. referé.

Une lettre de l'Union Joseph au sujet
patentés et demandant l'usage de la salle
de l'Hotel de Ville.

1
 Lu une lettre de la Compagnie de chemins
 de fer improuvant le Conseil quel y aura
 assemblée de la Compagnie à Montréal - se
 subséquente.

Lu une lettre de l'Hôpital Général de
 mandant au Conseil l'octroi annuel
 de \$1000⁰⁰ - Le Greffier est autorisé à cette
 fin de payer le montant de \$1000⁰⁰ pour
 1905

Lecture est faite du jugement de la
 Commission des Chemins de fer. dans l'affaire
 d'expopuation du terrain du dépôt

Lecture est faite d'une lettre de
 l'Ordre des manufacturiers le projet des
 règlements de manufactures à certains
 endroits

M. Senechal

J. M. G. G. G.
 Greffier

1 0 6 0 1

P23/E2,252

Résolu et adopté que le Maire et le Greffier-Trésorier soient autorisés à donner main-levée et quittance complète à FERDINAND FICHAUD, pour le montant entier par lui dû à la Corporation de Saint Henri; , savoir: Capital \$1502.67 ; intérêt à ce jour, \$145.90; total \$1648.37 lequel montant est dû en vertu du contrat de vente en date du 28 Septembre 1893 A.C.A.BISSONNETTE, Notaire, enregistré sous le numéro 48669 H.J-C., et à signer toute radiation nécessaire à cet effet.

1 0 6 0 1

P23/E2,252

Résolu que Mr. le Maire et le Greffier trésorier soient autorisés à consentir et signer une main-levée d'hypothèque qui a été consentie en faveur de la Ville de Saint Henri , maintenant la Cité de Saint Henri par Napoléon Lefebvre, suivant acte reçu par A. C. A. Bissonnette, notaire, à St. Henri, le quatre juillet, mil huit cent quatre-vingt-onze, et enregistré au bureau d'enregistrement de Hochelaga et Jacques-Cartier, le quatre août de la même année, sous le No. 38870.

✓

CITE DE SAINT-HENRI

Archive No. 10601

Comite General

"L. Godere" "J. E. Vanier"
"D. Hurtubise" "appel re depotoir"
"Can. P. Riviere St Pierre" "G. H."
"International Tel. Mfg. Co."
"Mont. Water & P. Co" "Soc. Cof. Ble."
"Egouts au Poplar" "Canton de St. J."
"Comite Amexion Md" "R. J. P. Hingfe"
"Banque Molson" "F. L. Parent"
"Regule Citoyens rue D'Assas"
"Union Mun. Eau" "A. Lamy"
"Hopital des Incurables & General"
"App. Archambault" "F. L. Dubé"
"S. Levesque" "Union St. J."
"W. Rutherford sous-ld."
5/6/05



P23/E2,252

10601

10602

P23/E2,252

PHONE MAIN 1032

CANADIAN FIRE UNDERWRITERS' ASSOCIATION

ROYAL BUILDING, PLACE D'ARMES,

ALF. W. HADRILL,
Secretary.

Montreal, June 6th, 1905

Secretary Treasurer,

Corporation City of

ST. HENRY

Dear Sir:-

I beg to enclose herewith, for the information of your Council, a copy of our Inspector's report on the Fire Preventive Appliances of your City.

As your Water Works System is part of that of the Montreal Water & Power Co., I also enclose copy of the report on the whole Water Works System of that Company.

Yours truly,

Alf. W. Hadriil

Sec'y.

(ENCS. 2)



Canadian Fire Underwriters' Association.

REPORT ON MUNICIPAL FIRE PREVENTIVE APPLIANCES IN THE CITY OF ST. HENRY, P.Q.,

As on March 13, 1905.

This City, with population of 24,165, and property assessed at \$8,658,845, including \$1,930,340 exempt from taxes, is situated between the Town of Westmount and the Lachine Canal, at a short distance from the Western limit of the City of Montreal, from which it is separated by the City of St. Cunegonde. A Fire Limit By-Law, covering the portion of Notre Dame Street between Atwater Avenue and St. Elizabeth Street, and all the extent of St. James Street, provides that "no building shall be erected unless it be enclosed with walls constructed of stone, brick or other incombustible material, or wood walls coated with brick on the outside; such buildings shall have two side or end walls, whether such side or end walls be outside or party walls, and all such side walls shall be elevated at least one foot above the roof and covered with a coping of stone or wood and metal; the roofs to be of felt, tar or composition roofing, cement or other equally non inflammable material, and well covered with gravel or non-combustible material, to the satisfaction of the Inspector of Buildings." A By-Law provides that no person shall sell, manufacture or store petroleum, naphtha, kerosene, coal oil, varnish, turpentine, alcohol or any like burning fluid in the Town of St. Henry in any quantity exceeding 5 barrels without having previously obtained a license to that effect; larger quantities shall not be in other than a brick or stone building, situated not less than 100 feet from any other building, with certain precautions against overflow; no such liquid to be kept above the ground storey; it is also provided that retailers shall not be allowed to keep on hand at any time more than 30 gallons of any of the said liquids; the by-law does not contain any stipulation specially referring to benzine, gasoline and similar substances, nor is the storage of powder touched upon. Mercantile Houses, 1½ to 4 storeys, mostly mixed store and dwelling occupancies, chiefly encased with brick or stone, intermixed with brick, stone and frame, much crowded with frame in some of the rear parts, are situated principally in Notre Dame and St. James Streets. Dwellings, 1 to 3½ storeys, appear to be more than one-half of frame construction, the rest brick, stone and veneer.

Conflagration Hazard, due to general construction, appears to be increased by the presence of manufacturing establishments, &c. Streets, 40 to 66 feet wide, are lighted by 106 electric arc lamps, of 2,000 candle power, and 19 incandescent lamps of 32 candle power, and principally macadamized. An Electric Trolley System follows the business and some other parts, and is without guard wires. No Tax on Companies and Agents.

Waterworks.

Owned by the Montreal Water and Power Co., upon whose system (which already supplies several neighboring Municipalities, having a present population of about 85,000) a General Report has been presented, which is explanatory for the whole, and upon that account the description herein is somewhat abbreviated, and does not touch upon the Company's High Level District, which covers about one-half of the population named, because the Fire Protection of this City (which is on the Low Level, or Main System) is not directly affected thereby. Source of Supply is the St. Lawrence River. The System is direct pumping from the main station at Point St. Charles, about a mile and a half south-east, in connection with a small reservoir of 49,000 gallons storage capacity at Clarke Avenue, Westmount, from which the High Level Pumps take supplies, and whose altitude limits the hydrant pressures in St. Henry to between 68 and 82 pounds normal.

Pump and Boiler Houses, consist of two separate brick buildings; one of 3 storeys, with iron roof, where the Steam Pumps and boilers are located adjoins the frame fuel shed, in which about 500 tons of soft coal are sometimes stored, is otherwise detached; the other, containing the Electric Pumps, is a detached, single storey, high building, with wood floor and plastic asphalt roof; Telephone, with constant service, in steam pump room, no fire alarm gong; Engineers on constant duty by day and night, one lives in rooms over Steam Pump House.

Engines and Pumps, all in good condition, operated by steam and electric power, are as follows:—

Made by	Description.	Imperial Gallons per 24 hours.		Driving Power.
Holly.....	Cross compound, diagonal, quadruplex, 11 & 11 x 7 x 21.....	1,250,000	4 250,000	3 boilers, 2 of 80 and 1 of 90 H.P., always one in reserve.
Snow	Compound duplex, 16 & 32 x 18 x 17...	3,000,000		
Northey....	Three-throw, 21 x 24.....	5,000,000	7,500,000	One 360 K.W. motor operates both pumps; no duplicate; electricity from only one source.
Northey....	Duplex, 16½ x 18.....	2,500,000		
Total capacity.....		11,750,000		

Conduit from river to suction wells at Pumping Station is about 1,750 feet in length, 36 inches diameter, and single; was during the winter of 1903-4 a source of considerable trouble for several consecutive days owing to ice, and as a preventive measure some steam jets were installed in the suction wells, which appear to have afforded relief.

Supply Mains from pumps are four in number to Wellington Street, and from that point forward there are three; the Canal is crossed by each line in duplicate, as required by the Standard; the streets along which said supply mains are laid are as follows:—

Diam in ins.	Laid Along.	From.	To.
12	Charlevoix.....	The Pumps.....	Wellington.
12	Charlevoix and through Canal.....	".....	Notre Dame.
16	Charlevoix and Wellington.....	".....	Butler.
14	Butler, D'Argenson, Canal side, and in duplicate through the Canal.....	Wellington.....	St. Rose de Lima, etc.
24	Vacant ground, Butler, D'Argenson, Canal side, and in duplicate through the Canal..	The Pumps.....	St. Ambroise & St. Jean.
	South of Canal.....	The 24 inch.....	Opposite St. Rose de Lima.
	Line of St. Rose de Lima, and in duplicate through the Canal.....	Previous 14.....	St. Ambroise Street



Mains.

Said to be laid 5½ feet under ground, cover the principal built up parts fairly well; a plan of the system, as far as affects this Municipality, is filed in the Secretary's office in Montreal; such of those laid to date as are 6 inches diameter and above (except the supply mains previously specified) are as follows:—

Diam. in ins.	Laid along.	From.	To
16	St. Jean	St. Ambroise	Notre Dame Street.
14	St. Jean and Laurier.....	Notre Dame.....	St. Antoine Street.
14	Greene Avenue.....	St. Antoine.....	Town of Westmount.
12	St. Rose de Lima.....	do	Notre Dame Street.
14	do	Notre Dame.....	St. Antoine Street.
14	St. Ferdinand.....	St. Ambroise.....	Notre Dame Street.
12	St. Elizabeth.....	do	Town of St. Paul.
12	do	do	Town of Westmount.
16	St. Ambroise.....	St. Jean.....	St. Rose de Lima.
2 of 12 & 14	do	St. Rose de Lima.....	St. Ferdinand.
12	do	St. Ferdinand.....	850 ft. West of St. Elizabeth St.
8	St. Emilie.....	St. Elizabeth.....	St. Remi.
14	Notre Dame.....	St. Ferdinand.....	St. Elizabeth.
12	do	St. Elizabeth.....	West limit of City.
10	do	Town of St. Cunegonde.....	G.T.R.
8	do	Previous 10 inch.....	St. James Street.
8	St. James Street.....	Atwater Avenue.....	Beaudette Street.
8	Beaudette Street.....	St. James.....	St. Antoine.
8	St. Antoine.....	Beaudette.....	St. Elizabeth.
8	Atwater Avenue.....	St. James.....	St. Antoine.
8	St. Antoine.....	Atwater Avenue.....	Laurier Avenue.
14	"	Laurier Avenue.....	St. Rose de Lima, 14 inch.
6	Palm Avenue.....	St. Elizabeth.....	St. Remi.
6	St. James.....	Beaudette.....	450 ft. West of St. Elizabeth St.
6	St. Antoine.....	do	Annie.
6	Marin Avenue.....	St. James.....	St. Antoine.
6	Annie.....	do	St. Antoine.
6	St. Pierre.....	do	St. Antoine.
6	St. Philippe.....	St. Ambroise.....	St. James.

In all places where water is crossed the mains are laid in duplicate, as required by the standard, except that through the River St. Pierre, for supplying the Town of St. Paul, which is single. In business streets the mains are 8 inches diameter.

Hydrants.

Are about 90 in number, about 200 to 400 feet apart in business sections, about 300 to 600 feet in other parts where they are spaced according to proximity of buildings; of uniform pattern, two 2½ inch branches, frost jacketed, and drained into loose stones; said to be frequently tested in severe weather; a portable steam boiler is kept by the Company for thawing any that may be found frozen; none said to have been frozen last winter; all reported to be in good condition.

Pressures.

The normal pressure in various parts of the City is from 68 to 82 lbs., and is so far reduced when only one stream is drawn through the 1¼ inch testing nozzle without any hose as to require two powerful Steam Fire Engines to comply with the Standard, of which the City owns one which is less than Standard capacity; another should be provided, of 1,000 gallons capacity at least, but the proper course would be to dispose of the present small steamer, which has frequently required repairs, and provide the department with two new ones of modern design, and 1,000 gallons each.

An Automatic Water Pressure Recording Gauge should be located in the Central Fire Station, where the daily diagrams therefrom should be conveniently filed for immediate future reference; such an instrument would show accurately the actual pressure of water at all times by day and night, and would not admit of any doubt as to the pressure available at any time during the progress of fire.

Steam Fire Engine.

One steamer, 27 years old, by the Paterson Steam Fire Engine Co., Paterson, N.Y., drawn by 2 horses, is usually located in No. 2 Fire Station, but at present undergoing repairs; horizontal duplex pattern, 8 x 5 x 8, about 750 gallons capacity; carries 15 feet of suction hose in good condition, and a reducer for connecting to hydrants; no heater; fire laid ready to light, with sufficient fuel, and lit on leaving the station; engineer is one of the firemen, who sleeps in the station where the steamer is located.

Appliances.

Hose &c.—About 4,500 feet of 2½ inch rubber-lined hose, in good condition, should be 5,500 feet at least; 6 play-pipes, which should be increased in number to at least 14, as these appliances limit the number of streams which can be thrown during fire; five cut offs and other usual tools.

Hose Carriages.—One wagon of divided pattern, drawn by two horses; carries 1,000 feet of hose and two 3-gallon chemical fire extinguishers; one single horse reel carries 700 feet of hose; another single horse reel carries 550 feet; the two former in No. 1 Station, the latter in No. 2. To comply with the Standard, No. 2 Station should be provided with a 1,000 feet hose wagon, the 550 feet reel now there would then be in reserve.

Hook and Ladder Trucks.—One drawn by two horses; equipped with two 50 and 60 feet Bangor extension ladders, seven wall ladders 14 to 35 feet, one 20 feet roof ladder, one large pole hook and chain, four shorter pole hooks, two forks, two shovels, two crowbars, one door opener, one wire cutter, four chemical fire extinguishers of which three are 3 gallons and one 5 gallons, and also three salvage covers 10 x 12 feet each, is located in No. 1 Fire Station. Another Hook and Ladder Truck, drawn by one horse; equipped with one 40 foot ladder, two wall ladders 20 and 25 feet each, one 18 feet roof ladder, four axes, four pole hooks, four chemical fire extinguishers of which three are 3 gallons and one 5 gallons, and also three salvage covers 12 x 10 feet each, is located in No. 2 Fire Station.

Aerial Truck.—Not any. A 75 feet aerial ladder truck should be provided; the same to be equipped with an approved rapid raising device, to carry sufficient supply of trussed ladders in convenient lengths, and all other usual apparatus, and to respond to all first alarms from the business parts and manufactories and other important buildings.

P23/E2,252

10602

Chemical Engine.—Not any. One of Standard capacity should be provided, to respond to every first alarm from the business and congested sections.

Winter Sleighs are provided for all wheeled appliances.

Chemical Fire Extinguishers.—Four carried on each of the two hook and ladder trucks and two on the hose wagon; total, 10, of which eight are 3 gallons and two 5 gallons.

Salvage Equipment.—No Standard equipment; only 6 covers 12 x 10 feet each, three carried on each hook and ladder truck.

Fire Stations (2).

Central Station, No. 1, is situated near the corner of St. James Street and St. Henry Place; walls brick, roof iron, two storeys; is part of a detached block, occupied also as Municipal offices and police station; lower floor of central part consists of fire hall, sleeping rooms for eight men, and stabling for six horses; the Chief's dwelling is part of the same building, and communicates with fire hall; hose washed at hydrants and dried in 55 ft. tower; a 16 inch fire alarm gong and a telephone in fire hall; one slide pole. General alarm bell on hose tower, is at all times accessible but not automatic. The heating is by hot water; electric and gas light. The hose wagon carrying 1,000 feet of hose, a reel carrying 700 feet, and also the 60 feet hook and ladder truck are the principal appliances in this station, where also are nine men, including the Chief, and six horses.

No. 2 Station is located at South-west corner of Notre Dame Street and St. Elizabeth Avenue; walls brick and stone, roof iron and gravel, three storeys and basement; adjoins brick stable for spare horses, hay loft over, gravel roof; otherwise well detached; basement used as furnace and fuel room; ground floor consists of fire hall and stabling for four horses; first floor consists of sleeping room for nine firemen, and also a hay loft; upper is firemen's recreation room; the Captain's dwelling forms part of same building on first and second flats in rear—he is the caretaker; one slide pole; 16 inch fire alarm gong and telephone; **no hose tower**, the hose dried at No. 1 Station; hot water heating, electric and gas light. The steam fire engine, one reel carrying 550 feet of hose, and the 40 feet hook and ladder truck are the principal appliances in this station, where also are nine men and four horses. **Pressure at Fire Hall gauge** (not automatic) was found about 70 lbs. normal, and should be increased so that the **running pressure** with requisite fire streams in full flow will not fall below 80 pounds.

Brigade.

Consists of eighteen men, including the Chief, all of whom are fully paid, nine at each of the two stations; all act as policemen. **The Brigade should number 25 at least.**

Horses.

Ten, owned by the City; six in No. 1 Station and four in No. 2, for Fire Department purposes only; swinging harness for all; time to hitch up, 12 seconds; stable doors opened by electricity, outer doors by hand.

Alarm System.

Fire Alarm Telegraph.—32 street boxes, with keys under glass alongside; in connection with a 16 inch gong in each fire hall and a smaller one in the Chief's dwelling, upon each of which the number of any box pulled is repeated three times. General alarm bell on No. 1 Fire Hall, operated by hand. General telephone service at all hours; about 300 subscribers; a telephone in each Fire Hall and in the Steam Pump Houses at Point St. Charles and Clarke Avenue; four men on night patrol.

Police Force.

Consists of eighteen men, who also constitute the Fire Brigade; the Chief is also Chief of the Fire Brigade; four are on **Night Patrol.**

Tests.

Hydrant Tests, with water running through the 1 1/4 inch testing nozzle without any hose:—

Diam. of Mains in ins.	Location.	Goad.			Hydrant pressure in pounds.	
		S.	B.	N.	Normal.	Running.
6	St. Antoine and St. Pierre (Convent).....	198	1154	78	74	58
8	St. Antoine and St. James.....	196	1136	..	68	56
8	St. James and St. Pierre (R. C. Church).....	198	1157	..	74	60
8	St. James and St. Rose de Lima.....	207	1229	..	78	66
4	St. Elizabeth and Poplar (Lane's Factory).....	188	1077	231	74	57
14	Notre Dame and Delimelle.....	188	1077	..	74	64
4	St. Emilie and St. Augustin.....	188	1041	64	80	62
4	St. Emilie and Atwater.....	185	1055	68	80	54
12	St. Ambroise, N.W. cor. of Colonial Bleaching Co.,	180	1022c	..	78	72
12	St. Ambroise and Abattoir.....	181	1024	..	82	70
12	St. Ambroise and St. Philippe.....	182	1033	..	76	70
12	St. Ambroise, at Merchants' Manufacturing Co.'s } Office, 200 ft from the Railway.....	183	1039	..	76	72
12	St. Ambroise and St. Rose de Lima.....	185	1057	1	80	74

The **Steam Fire Engine** was not tested, the same undergoing repairs.

Summary of Appliances in Use.

Waterworks owned by the Montreal Water and Power Co.; direct pressure limited by head due to pumping well at Clarke Avenue, Westmount; steam and electric power; not satisfactorily in duplicate; about 90 hydrants; steam fire engine, about 750 gallons. About 4,500 feet of first-class 2 1/2 inch rubber-lined hose, **which should be increased by at least 1,000 feet**; six play-pipes, of which there should be **at least fourteen**; five cut-offs. Three hose carriages, with united carrying capacity of 2,250 feet. Two hook and ladder trucks, a 60 ft. in No. 1 Station and a 40 ft. in No. 2. Ten chemical fire extinguishers, eight of 3 gallons and two of 5. Six salvage covers, 12 x 10 feet each, three on each hook and ladder truck. Winter sleighs for all wheeled appliances. Two fire stations. Brigade of 18 fully paid men, who also act as policemen; 9 in connection with each fire station, all sleeping on the premises; **the Brigade should number 25 at least.** Ten horses, six in No. 1 Fire Station and four in No. 2. Fire Alarm Telegraph, 32 boxes, in connection with gongs in fire halls and in the Chief's dwelling; general alarm bell at No. 1 Station, operated by hand. General telephone service at all hours, about 300 subscribers; a telephone in each fire hall, and also in the steam pump house. Police force of eighteen men, who also form the Fire Brigade, one Chief for the two forces; four on night patrol.

In conclusion, I may say, in regard to the Waterworks, that as requirements are fully detailed in the General Report on the M.W. & P. Co.'s system, dated April 2nd, 1904, it does not appear necessary to repeat here.

ROBERT HOWE,
Inspector C.F.U.A.

P23/E2,252

Canadian Fire Underwriters' Association.

GENERAL REPORT

ON THE

WATERWORKS SYSTEM

OF THE

Montreal Water and Power Company,

As on April 2nd, 1904

These Waterworks are for supplying several Municipalities which abut upon, and form a sort of crescent shaped boundary to every limit of the City of Montreal (of which they constitute practically a portion) except along the water front, the supplies extending also into St. Denis Ward, which, although being part of the City of Montreal, and having in itself a population of about 14,000, is within the area covered by the Company's privileges of supply, the total population already enclosed therein being about 85,000, with probability of increase in the near future to about 100,000 by further extensions of mains into other Municipalities for which the M. W. & P. Co. appear to hold the Franchise.

Source of Supply is the St. Lawrence River, at the extreme South Western limit of the City of Montreal.

The System is in two sections, known as the Low Level (or Main) and the High Level, the dividing line commencing at the Western limit of Westmount, follows the C. P. R. to Glen Avenue, then via Glen, Western and Clarke Avenues to St. Catherine Street (except as to a small area of 4 inch High Level extension on Metcalfe, etc., nearly to St. Catherine), and along the latter to the Eastern limit of Westmount; the parts lying South of said line forming the low level section, those North of same constituting the High Level **except** as to a small residential area on top of the mountain, which latter has a special domestic supply, as afterwards described, and where also are a few hydrants that may be useful in the event of incipient fire.

The Municipalities already supplied, the system by which they are served, and also their respective population as nearly as ascertainable, are as follows:—


MUNICIPALITIES, ETC.	Approximate population.	
	Low Level.	High Level.
St. Henry	24,000	
St. Cunegonde	11,000	
St. Paul	1,700	
Verdun	1,800	
Westmount	1,500	8,500
Maisonneuve		7,100
Delorimier		1,700
Outremont		1,200
St. Louis du Mile End		12,500
St. Denis Ward, part of Montreal		14,000
Totals at present supplied	40,000	45,000
Other Municipalities for which supplies appear to be contemplated in the near future are St. Laurent, Notre Dame de Grace, Longue Pointe, Villeray, Cote la Visitation, etc., all from the High Level		15,000
High Level, including contemplated additions		60,000

The Low Level is supplied by direct pumping from two suction wells near the River, the pressure being limited by the head due to a small reservoir of 49,000 Imperial Gallons available capacity at an altitude of about 200 feet, located as afterwards described.

All the Water for the entire system is supplied by the Low Level pumps, that for the High Level consisting only of the surplus which flows into the small reservoir just referred to after all requirements for the Low Level have been satisfied.

The High Level section is supplied by re-pumping from said small reservoir into a storage reservoir of about 6,500,000 Imperial gallons available capacity at a further altitude of about 272 feet, located as afterwards described.

Main Pumping Station is situated on North bank of St. Lawrence River in line with West side of Charlevoix Street, Point St. Charles, at extreme South Western limit of the City of Montreal, as on Goad's key plan; the plant being in two buildings, one containing the steam pumps and boilers, the other the pumps that are operated by electricity; the former of brick construction, three storeys, with iron roof, all above the ground floor being an engineer's dwelling, adjoins a frame fuel shed in which about 500 tons of soft coal are sometimes stored, is otherwise detached; two brick chimneys 72 and 80 feet; near the above is the electric pump house which is detached, one high storey, brick walls, plastic asphalt roof, and wood floor.



P23/E2,252

Canadian Fire Underwriters
 GENERAL
 WATERWORKS
 Montreal Water and

High Level Pumping Station, situated on East side of Clarke Avenue, Westmount, S 223, B 1234, N 465-Goad, about two miles North from the Main Station, and, as previously stated, at about 200 feet higher level, consists of a detached brick building, one storey, with iron roof, having three communicating rooms, one containing the boilers, another the steam pumps, and the third the pumps that are operated by electricity; brick chimney about 50 feet high.

The Mountain Section, consisting of a few dwellings about top of Mountain, is supplied by re-pumping from the Storage Reservoir to a further height of about 175 feet, (or to 647 feet above the River) by means of a set of three-throw, vertical, single acting plunger pumps, 5 x 8, operated by an electric induction motor, 500 volts, 7½ h. p. the pump geared to second motion shaft runs 62 revolutions per minute, and discharges about 160 Imperial gallons per minute into a steel tank of about 50,000 gallons capacity on concrete foundation, slightly above surface, at top of Mountain; water pressure at pump is 75 lbs.

Engines, Pumps and Power.

Main Pumps are as follows:—

Date of construction.	Made by	Description.	Imperial gallons per 24 hours.		Power
1879	Holly Co.....	{ Cross compound, diagonal, quadruplex, double acting, 11 and 11 x 7 x 21	1,250,000		Steam.
1892	Snow Co.....	{ Compound, horizontal duplex, double acting, 16 and 32 x 18 x 17.....	3,000,000	4,250,000	Steam.
1899	Northey Co.....	{ Three-throw, horizontal, double acting, externally packed plungers, 21 x 24.....	5,000,000		Electricity.
1903	Northey Co.....	{ Duplex, horizontal double acting, externally packed plungers, 16½ x 18	2,500,000	7,500,000	Electricity.
Total Pumping Capacity per 24 hours for supply of the whole system.....				11,750,000	

Three Multitubular Boilers at Main Station; two of 80 and one of 90 H. P., for operating the Holly & Snow pumps; two generally at work and one in reserve, but all working at time of inspection, said to be owing to inferior fuel, are as follows:—

Date of construction	Made by	Diameter of boilers in inches.	Tubes.		
			Numbers.	Diam. in inches.	Length in feet.
1893	Waterous, Brantford	66	84	3½	14
1893	do do	66	84	3½	14
1893	J. McDougall, Montreal.....	66	64	4	16

One Electric Motor at Main Station operates the two Northey pumps (not one for each) no duplicate; a Synchronous Motor, S. K. C. System, Royal Electric Co., Montreal; No. 148, type 16; 2,400 volts, 150 amperes, 360 K. W., 483 H. P.; 8,000 alternations; 182 revolutions per minute; **electric power** from only one source.

The Three-Throw Pumps at Main Station are direct tooth-gear to Motor, in ratio of 1 to 8.66 or 21 revolutions of pumps to 182 of motor per minute.

The Duplex Pumps at Main Station have double reduction gear, first by rope from motor, then by backward tooth gear, in ratio of 1 to 5.69 or 32 revolutions of pumps to 182 of motor per minute.

Clarke Avenue Pumps are as follows:—

Date of construction.	Made by	Description.	Imperial gallons per 24 hours.		Power.
1892	Snow Co.....	{ Compound duplex, horizontal, double acting, 12 and 18 x 10 x 12.....	1,000,000		Steam.
1894	do	{ Compound, duplex, horizontal, double acting, 16 and 22 x 14 x 12	2,000,000	3,000,000	Steam.
1902	Northey Co.....	{ Three-throw, horizontal, double acting, externally packed plungers, 19½ x 24.....	4,500,000	4,500,000	Electricity.
Total Pumping Capacity per 24 hours for gravity supplies				7,500,000	

Three Multitubular Boilers at Clarke Avenue, for operating the steam pumps, when required; two of 60 and one of 80 H. P.; one with small fire and 10 lbs. of steam at time of inspection, the others without fires.

One Electric Motor at Clarke Avenue operates the three-throw pumps, no duplicate; an Induction Motor by Bullock Elect'l. M'fg. Co., Cinn., Ohio; No. 4938; 2200 volts, 95 amperes, 280 H. P.; 160 revolutions per minute; **electric power** from only one source.

The Three-Throw Pumps at Clarke Avenue are direct tooth geared to motor, in ratio of 1 to 7.62 or 21 revolutions of pumps to 160 of motor per minute.

CONDUIT, SUCTION WELLS, RESERVOIR, &c.

Conduit Pipe at Main Station for gravity flow from River to Suction Wells; wood construction, 36 inches diameter, total length about 1,750 feet, extending about 1,600 feet into the River, has recently been a source of considerable trouble owing to **ice obstructions** for several consecutive days, during which the places depending upon gravity supplies from the Storage Reservoir, and having a joint population of about 45,000, were seriously affected owing to shortage of water, and **actual stoppage of supplies** from the M. W. & P. Co's system, and whilst it is a fact that such amount of temporary relief as could be afforded was obtained from the Montreal City System by the opening of valves on certain connecting mains which are usually kept closed, there can be no doubt that such service, although valuable for domestic purposes, would have proved **extremely inadequate** in the event of fire; the trouble was eventually overcome by the operation of a number of **steam jets** placed for the purpose in the Suction Wells, which, I was informed, will remain there, ready for future service if required; the conduit has been for many years in its present position and does not appear to have caused any previous difficulty, the recent trouble is attributed to the exceptionally severe winter.

Suction Wells for main pumps; one in each of the two pump rooms, both supplied by the 36 inch conduit.

Small Reservoir, which also answers as a **Suction Well** for Clarke Avenue pumps, is in rear of that pumping station, and receives the **surplus water** from the main pumps; its diameter is 25 feet and total depth 25 feet; a 12 inch overflow pipe, 9 feet from top, limits the available capacity to 49,000 Imperial gallons.

Storage Reservoir, receiving supplies from Clarke Avenue pumps, appears to have an available capacity of about 6,500,000 Imperial gallons, and is located on East side of Cote-des-Neiges Road, about 3,000 feet North from said pumps, about 272 feet above the same, and about 472 feet above the St. Lawrence River.

Mountain Tank, about 59,000 gallons capacity, as already described.

Supply Mains are as follows :

Parts Supplied.	Reference Nos.	Diam. in ins.	Laid Along	From	To	Approximate length in feet
These, in connection with the distribution mains forming the direct pressure or Low Level section, are for the entire system as further explained.	1	12	Charlevoix	Pumps	Wellington	800
	2	12	Charlevoix, St. Patrick and Vinet...	do	Notre Dame	5,600
	3	16	Charlevoix	do	Wellington	800
	4	16	Wellington	Charlevoix	Butler	500
	5	14	{ Butler, D'Argenson, St. Patrick } { and Lacroix	Wellington	St. Ambroise	4,800
	6	24	{ Butler, D'Argenson, St. Patrick } { and St. Jean	Pumps	do	5,500
	7	14	{ St. Jean, Greene Ave., St. Cath- } { erine St., and Clarke Ave	St. Ambroise	Western Ave	4,300
	8	16	St. Ambroise	St. Jean	Lacroix	200
	9	14	{ St. Ambroise, St. Ferdinand and } { Notre Dame	Lacroix	St. Elizabeth	4,700
	10	12	St. Ambroise	do	do	3,300
	11	14	St. Elizabeth and Glen Aves	St. Ambroise	Western Ave	4,600
	12	16	Western	Glen	Clarke Ave, 20'	2,700
Town of St. Paul	13	12	{ St. Elizabeth, across the Canal } { and via Angers (for supply of } { St. Paul)	St. Ambroise	Workman Ave	1,200
Carrying the surplus from Low Level section to Clarke Ave. pumps ..	14	20	Clarke Avenue	Western Avenue	{ Suction well for } { Clarke Avenue } { pumps	1,800
The whole of the gravity section ...	15	20	{ Clarke and Westmount Aves. and } { Cote des Neiges Road	Clarke Ave. pumps ..	Storage Reservoir ..	4,000
The principal portion of Westmount.	16	12	{ Clarke Ave. Sherbrooke Street, } { Kensington Ave. and Cote St. } { Antoine Road	{ A regulating valve } { in Clarke Ave. at } { lower end of last } { named 20'	Claremont Ave	6,000
St. Louis du Mile End, St. Denis Ward, Delorimier and Maisonneuve.	17	20	{ Cote des Neiges Rd. and Maple } { Wood Ave	Storage Reservoir	Bellingham Ave	11,000
	18	24	{ Bellingham Ave. and Cote St. } { Catherine Rd	Maple Wood Ave	Rocky Lane	2,300
	19	20	Cote St. Catherine Road	Rocky Lane	St. Louis	3,300
	20	16	{ St. Louis (for supply of St. } { Louis du Mile End	Cote St. Catherine Rd.	Sanguinet	4,100
	21	12	Cote St. Catherine Road	20' at St. Louis	Mount Royal Ave ..	2,100
	22	12	Bellingham & Cote St. Catherine Rd. } { Mount Royal, Papineau, Rachel, } { Frontenac, Pius IX, Boyce, De } { La Salle and Ontario (for St. } { Denis Ward, Delorimier } { and Maisonneuve)	Maple Wood Ave	do do ..	8,000
	23	12	Cote St. Catherine Rd.	Cote St. Catherine Rd.	Bennett Ave	24,200

P23/E2,252

Referring to the foregoing schedule, it may be again explained that the entire supplies for the whole system have to be pumped from the main station along the several mains numbered 1 to 12 inclusive, from which all requirements are first drawn, through other street mains in connection, for an aggregate population of about 40,000 in the municipalities previously described as forming the Low Level Section, for a small portion of which (the Town of St. Paul) a single supply main No 13 is laid as in the schedule.

After all requirements for the Low Level have been satisfied the surplus water passes along the single line, No. 14, into the small reservoir or suction well at Clarke Avenue pumping station, from which it is forced by the pumps there along another single line, No. 15, into the storage reservoir, previously described, for furnishing gravity supplies to a further population of about 45,000 in the present High Level section.

From the low pressure side of a regulator near the South or lower end of No. 15 main just referred to, No. 16, which is also single for about 2,300 feet, and only 12 inches diameter, conveys gravity supplies for the Town of Westmount, except as to the small population previously named as forming part of the Low Level section.

No. 17 is also a single supply main, exceeding two miles in length, upon which all the Municipalities supplied by gravity (except Westmount) are dependent.

No. 23 is another single supply main, exceeding 4 1/2 miles in length, and only 12 inches diameter, for carrying all requirements into the places named opposite that number in the schedule, which include a present population of about 22,800.

MAINS.

The location and sizes of the mains, all of which appear to be laid about six feet underground, are shown, as far as ascertainable, upon the plans referring to the several municipalities, and all those exceeding six inches diameter appear to be as marked upon the general plan of the system, all of which plans are filed in the Secretary's office in Montreal.

Except at the St. Pierre River, the mains where crossing water, are laid in duplicate with suitable valves on each pipe line on both sides of water, in conformity with the standard, but through the said river there is only a single 12 inch main for supplying the Town of St. Paul etc., as to which I may say that during the spring of 1899 a single 12 inch main for the same purpose and about the same place, was broken during the operation of dredging and the Town was without waterworks protection for several months.

HYDRANTS.

These are in many places at considerable distances, often 500 feet and upwards in important parts; the Standard does not contemplate the placing of hydrants in business sections or in the neighborhood of important buildings at exceeding 250 feet apart, nor at exceeding 500 feet in other parts.

REGULATORS.

For controlling the gravity pressure from the Storage Reservoir, regulating valves, are placed as follows :—

Diameter of mains in inches.	LOCATION, ETC.	Owned by
20	{ Clarke Ave., a little South of Pump House, for reducing the gravity pressure to principal portion of Westmount..... }	M. W. & P. Co.
20	{ Maple Wood and Bellingham Avenues, for reducing the pressure in the 24 inch supply main Eastward..... }	do do
12	{ Sherbrooke Street, a little East of Pius IX. Street, for reducing the pressure to Maisonneuve..... }	do do
10	Marie Anne, a little West of Papineau, for reducing the pressure to Delorimier	Municipality of Delorimier

All the above Regulators are so set as to reduce the gravity pressure that would otherwise be obtainable from the Storage Reservoir to an amount considerably below that required by the Standard as will readily be seen from the following tests: Standard pressure means 80 lbs. at hydrants when all required fire streams and also all other draughts are being drawn.

P23/E2,252

10602

Hydrant Tests with water running through the 1 1/4 inch testing nozzle without any hose:

Municipalities.	Reference Nos.	LOCATION.	Goad.			Hydrant pressure in lbs.		Diameter of Mains in ins.
			S	B	N	Normal.	Run-ning.	
St. Paul.	1	Workman and Molson	521	5205	105	80	70	10
	2	St. Patrick, near Axe Factory.....	521	5206	24	82	75	8
	3	do do Blanket Factory.....	520	5227	64	84	68	8
	4	Church Ave., opposite English Church.....	523	5234	101	80	70	6
	5	Hadley and Maisonneuve.....	522	5219	33	82	70	4
St. Cuneegonde.	6	St. James, about 100 ft. East of Vinet (R.C. Church).....	200	386	1489	82	72	4 off 6
	7	Vinet and Albert (Mitchell's, etc.)	194	1117	675	80	64	8
	8	Albert and Dominion (Mitchell's, etc.)	66	352	627	81	68	6
	9	Albert and Atwater (College).....	193	1118	798	78	52	4
	10	Richelleu and Dominion.....	194	1126	170	80	70	6
	11	do do and Atwater.....	193	1120	348	86	76	4
	12	Notre Dame and Vinet	186	1064	3156	85	76	12
	13	Delisle, between Dominion and Vinet (Davidson's).....	194	1125	190	78	42	4
	14	Napoleon and Duverney.....	186	1064	67	82	68	6
	15	Tracy, between Levis and Napoleon.....	186	1069	58	80	68	6
	16	William and Levis.....	186	1065	25	80	50	6
St. Henry.	17	St. Antoine and St. Pierre (Convent)	198	1154	78	74	58	6
	18	do do and St. James	196	1136	..	68	56	8
	19	St. James and St. Pierre (R.C. Church)	198	1157	..	74	60	8
	20	do do and Rose de Lima.....	207	1229	..	78	66	8
	21	St. Elizabeth and Poplar (Lane's Factory).....	188	1077	231	74	57	4
	22	Notre Dame and Delinelle.....	188	1077	..	74	64	14
	23	St. Emille and St. Augustin.....	184	1041	64	80	62	4
	24	do do and Atwater.....	185	1055	68	80	54	4
	25	St. Ambroise, N.W. corner Colonial Bleaching Co.....	180	1022c	..	78	72	12
	26	St. Ambroise and Abattoir.....	181	1024	..	82	70	12
	27	do do and Philippe.....	182	1033	..	76	70	12
28	do do at Merchants Mfg. Co.'s office, 200 ft. from Ry.	183	1039	..	76	72	12	
29	St. Ambroise and Rose de Lima	185	1057	1	80	74	12	
Westmount.	30	Boulevard and Mount Pleasant.....	223	1292	..	57	27	4
	31	do do and Clarke.....	223	1290m	..	60	46	4
	32	Clarke Ave. Pump House.....	223	1234	465	118	102	20
	33	Stanton, opposite Fire Hall.....	219	1268	15	67	48	6
	34	Cote St. Antoine Rd. and Lansdowne.....	219	1269	..	37	32	12
	35	do do and Claremont.....	221	1332	..	40	32	12
	36	Sherbrooke and Claremont.....	221	1342	..	82	74	10
	37	do do and Lansdowne.....	219	1269	100	82	72	12
	38	do do and Clarke.....	211	1233	..	76	64	12
	39	do do and Wood	215	1255	388	74	56	6
	40	Western and Metcalfe	211	1241	..	74	56	4
	41	do do and Victoria	227	1314	..	84	76	12
	42	St. Catherine and Glen.....	227	1316	..	88	54	6
	43	do do and Wood (Arena).....	215	1260	4101	78	56	10
	44	Tupper, 100 feet West of Atwater.....	202	1175	..	78	29	4
45	Selby and Brooke.....	199	1162	50	62	56	4	
St. Louis du Mile End.	46	Mount Royal and City Hall Ave.....	280	1561	487	58	54	12
	47	do do and St. Urbain.....	268	1402	..	48	44	12
	48	Hutchinson, about 500 feet South of Boulevard.....	278	1516	..	40	34	6
	49	Villeneuve and St. Lawrence	279	1550	..	50	44	10
	50	Boulevard and City Hall Avenue	285	1557	..	54	46	6
	51	St. Louis and St. Dominique.....	284	1609	..	45	40	16
	52	St. Eugenie and St. Dominique	300	1609	1354	48	42	4
	53	Fairmount and Hutchinson	299	1687	..	36	32	6
	54	Hutchinson, about 200 feet South of Bernard.....	299	1680	..	37	34	6
	55	St. Dominique, 500 feet North of Loretta	300	1700	..	42	34	4
56	Pacific and Clarke.....	G	1669	1119	47	42	10	
Delorimier	57	Mount Royal Avenue, near the City Hall and Shoe Factory.	262	1742	..	30	28	10
Maisonneuve.	58	Notre Dame and Bourbonniere.....	339	2403	849	80	66	6
	59	do do and Latourneaux.....	354	2422	107	84	66	6
	60	do do about 100 feet West of 9th Avenue.....	354	2516	..	85	74	6
	61	do do about 100 feet East of 1st Avenue.....	358	2531	..	84	30	6
	62	Adam and 1st Avenue (R.C. Church).....	358	2528	..	78	18	4
	63	Lafontaine and La Salle (the College).....	350	2488b	401	80	50	8
	64	Ontario and Bennett (Shoe Factory).....	354	E	..	76	60	12
	65	do do and Desjardines (Wall Paper Factory).....	350	2482	..	78	60	8
66	Orleans, about 300 feet South of Earnest (S.W. & P. Co.).....	350	2471	..	74	60	6	

GENERAL REMARKS.

1. For the purpose of this Report, which bears specially upon Waterworks requirements for protection against fire, it should be understood that the following figures and remarks have reference to existing conditions only, without regard to further probable extensions, and assume a total population of 85,000, of whom 45,000 are in the Low Level or direct pressure section and 40,000 in the High Level or gravity section.

MAIN PUMPS.

2. Four sets of pumps, with aggregate capacity of 11,750,000 Imperial gallons per 24 hours, are installed for supplying a population of 85,000 and also for fires; as to which I will first remark upon the ordinary requirements for such population, and calculating the same at 100 gallons per head per day, which appears to be about correct in this instance, a total of 8,500,000 gallons is arrived at, but in considering the question of fire protection any calculation based upon that quantity would be seriously misleading, because, during the hours of day, the draughts for ordinary purposes are very considerably heavier than by night, and it may be assumed that a rate of 14,875,000 gallons per 24 hours, during the periods of greater ordinary draught, are more fairly representative, but require an addition of 9,900,000 gallons for necessary fire streams, thus making a total required rate of 24,775,000 Imperial gallons per 24 hours during the progress of destructive fire.

CLARKE AVENUE PUMPS.

3. Three sets of pumps, with aggregate capacity of 7,500,000 Imperial gallons per 24 hours, are installed for supplying a population of 45,000 and also for fires, and calculating upon the same basis as in the preceding paragraph it appears that a rate of 7,875,000 gallons per 24 hours during the periods of greater ordinary draught will be fairly representative, and adding thereto 5,100,000 for necessary fire streams, a total required rate of 12,975,000 Imperial gallons per 24 hours during the progress of destructive fire is arrived at.

ELECTRIC MOTORS.

4. A single motor operates the two separate sets of larger pumps at the Main Station, and at Clarke Avenue there is one motor for the principal set of pumps; Electric power in each case is from only one of the three sources that are available.

GENERAL, AS TO PUMPS, POWER AND RESERVOIRS.

5. The Pumps and their Appurtenances at the Main and Clarke Avenue Stations are inadequate, they should respectively (for present population supplied) be equal to 25,000,000 and 13,000,000 Imperial gallons per 24 hours, to that extent at all times immediately available, and so far in duplicate that the derangement of any Pump, Motor, Electric Current or other Power will not endanger immediate service to the full capacities named.

6. In view of present deficient capacity of the main pumps for supplying the whole system, and of their being so largely dependent upon electricity which is the power employed for pumping about 64 per cent. of supplies, with only one motor for two sets of pumps and only one source of electric supply, it appears to me that the general disposition at the main station is very unfavorable for protection against fire, and particularly so as regards the Low Level section in being without a Standard Intermediate Reservoir at suitable altitude for fire pressure.

7. The Storage Reservoir, which receives supplies from Clarke Avenue pumps, and appears to have an available capacity of about 6,500,000 Imperial gallons for furnishing gravity supplies to 45,000 people and also for fires, should, in my opinion, be increased to 25,000,000 Imperial gallons at least, and always, under ordinary conditions, kept full of water for reserve purposes in the event of accident; said reservoir to have a dividing wall so that only one-half need be emptied during cleaning or repairs.

CONDUIT

8. Owing to ice troubles in connection with the 36 inch conduit for supplying the main pumps, which resulted in stoppage of supplies over a large portion of the High Level section during a few consecutive days last winter, some steam jets were installed in the suction wells which appear to have afforded relief; as to which I may say that, in my opinion, something more than steam jets is needed, as a permanency, for ensuring adequate and unobstructed supplies in all seasons to the full extent required in General Remark 5.

EXPOSURE.

9. The steam pump house at main station is exposed by storage of about 500 tons of soft coal in large frame building adjoining and communicating.

SUPPLY MAINS.

10. Too much reliance appears to be placed on single lines, and as to sizes, I may select from amongst others, for particular reference, that numbered 23 in the Schedule of Supply Mains as being of extremely inadequate carrying capacity for the important places affected and most especially so for fires. I have also to express my opinion that for the principal portion of the Town of Westmount an additional large supply main should be laid along line of Westmount Avenue to Lansdowne, and also a 12 inch connection via Kensington and Western to Lansdowne.

STREET MAINS.

11. These are not expected to be less than eight inches diameter even in small business streets, and whilst not attempting to point out the whole of such deficiencies, I may refer more particularly to the important business section of the Town of Maisonneuve, along Notre Dame Street, where there is only a six inch main, which ought to be a well supplied 12 inch at least. St. Denis Ward is only partly covered, and many other extensions are required over the system.

ST. PIERRE RIVER.

12. The Town of St. Paul is supplied by a 12 inch main which crosses the St. Pierre River in single line; a similar line so placed, was broken during dredging operations in the spring of 1899, and the Town was without waterworks protection during several months in consequence thereof.

HYDRANTS.

13. These are generally beyond standard distances; they are not expected to exceed 250 feet apart in business sections or near important buildings, or 500 feet in other parts.

REGULATORS AND PRESSURES.

14. Regulators should in every instance ensure adequate fire pressure on their low pressure side, but such is not the case here; the hydrant tests show 71 lbs. normal average over the whole system and with only one 1 1/4 inch stream running from the testing nozzle, which represents only a very small flow in proportion to what might be required during fire, that average is reduced to only 56 lbs.

In conclusion, I have only to say that, in my opinion, the pressures should be very materially increased, and more especially so over all parts of the system that are controlled by regulators.

ROBERT HOWE,
Inspector C. F. U. A.

CITE DE SAINT-HENRI

Archive No. 10602

Canadian Fire
Underwriters Ass.
rapport de l'inspecteur
6/6/05



P23/E2,252

10602

10603

P23/E2,252

3521 RUE NOTRE-DAME

St-Henri 190

M.....

DOIT A



AVIS :
Un intérêt de
8 o/o sera chargé
après 30
jours

TEL. BELL 257 MOUNT.

Soumission de P. H. Bourdreaux
pour Coat + pantalons de
la police St-Henri
Coat + pantalons \$14.00
Coat seul \$9.50
pantalons seul \$4.75

le tout sera fait de 1^{re} classe
et au temps demandé
humblement soumi

P. H. Bourdreaux



CITE DE SAINT-HENRI

Archive No. 10603

J. L. Bourdeas
Soumission re habits
de la Brigade.
7/6/05



P23/E2,252

10603

P23/E2,252

17 Juin 1905

Province de Québec
Cité de St-Henri

A une session de Comité général
du Conseil de la Cité de St-Henri
tenue à St-Henri au lieu ordinaire
des sessions des Mt. Comités Mercredi le
Septième jour de Juin 1905 conformément
à la loi à laquelle assemblée sont
présents son Honneur le Maire Eugène
& MM. les Echevins, M. Pélissier, Ch. Fortin,
F. Séguin, J. Echus, M. Labeche,
J. A. Massé, J. Senecal & J. Villeneuve
présentant un rapport sur la présidence
de M. le Maire.

supplémentaire
à la fête dans la
Cité de St-Henri
il est

Rest adonné et statué par résolu-
tion du Comité général comme suit
M. M. Lebourveau, Demersail & Tailleux
sont présents au Comité au sujet de
la demande d'octroi pour la fête de
St-Jean Bte. Vu que la célébration de la
Fête est adoptée que le Comité de St-Henri
se charge de faire faire un feu d'artifice
à l'occasion de la fête St-Jean Bte. le 18
Juin 1905 au prix de pas plus de \$10000
et que le Greffier soit autorisé à payer cette
somme pour les fins ci-dessus.

M. M. Chs. Fortin & W. Labeche dissidents
Proposé par M. J. Senecal secondé par
M. F. Séguin que le Président du Comité
de St-Henri Police soit autorisé à faire
découper les deux postes de propriétés
pour la fête St-Jean Bte. adopté.
M. W. Labeche dissidents

J. Senecal
Secrétaire



CITE DE SAINT-HENRI

Archive No. 10604

Comité Général
"octroi Soc. St-Jean-Bte."
"Decorations"
7/6/05

Asigné
b. 2



P23/E2,252

10604

P23/E2,252

A son honneur M. le Maire
et M. M. les Echevins de la
Cité de St. Henri

Honorables Messieurs

Sur l'augmentation des moyens
de subsistance, les prix du loyer, de la nourriture et
de la vie en général nous croyons qu'il serait
très justifiable pour vous de nous accorder une
augmentation de salaire en rapport avec les cir-
constances et nous sommes assurés que l'inté-
rêt public ne serait aucunement froissé.

Espérant en votre générosité et votre esprit
de justice, nous nous souvenons

Vos très dévoués

*copie au Procureur
de la Cité de St. Henri*

Les membres de la brigade
de feu & de Police

L. Larand

O. Samuël

A. Gratton

P. Franeau

D. Compagnon

G. Ferrault

H. Ferras



M. Galonde Severe Cardinal

Magloire. Lion A. Sauvé H. Ducap

A. Legault N. Dupuis

et Lapore

M. Perrichon
Capt. L. Lapaire
Chef

CITE DE SAINT-HENRI

Archive No. 10605

Les Membres de la Brigade
demandent une augmen-
tation de salaire.

7/6/05



P23/E2,252

10605

10606

P23/E2,252

A M. M. le maire &
les Echevins de la cité
de Saint-Henri.

Messieurs,

Nous vous
remercions humblement
de faire disparaître la
salle de pool située au
N° 3715 de la rue Notre-
Dame.

Les gens qui
fréquentent cette salle
font tellement de bruit
qu'ils constituent une
nuisance pour tous
les voisins.

On crie, ~~et~~
on chante, & blasphème,
tout le jour, & une
grande partie de la
nuit.

Le tout humblement soumis.



A. N. G. Cavalier
Alexis Monahan
Narcisse Bissonnette
Joseph Cayette

CITE DE SAINT-HENRI

Archive No. 10606

Requete contre la
Salle de Pool no 3715
Notre-Dame.
7/6/05



P23/E2,252

10606

P23/E2,252

1060

Form 47A

Wm. Molson, Macpherson, President
James Elliot, Genl. Mgr.

The Molsons Bank.

Montreal, 9 June, 1905

Mr Eugene Guay
L'ayer St Henri

Sir.

Referring to our
interview of 7th inst I
now enclose statement
of the amount of 750
this bank claims for
less value of lot 1703. ⁵¹¹⁶ 1117
in actual area, than what
it had purchased by deed.

I shall be obliged by
an early payment of said

Yours truly

Jas Bleis
Gailman



We are now going on again
with the building —

CITE DE SAINT-HENRI

Archive No. 10607

Banque Molson
reterrain.

9/6/05



P23/E2,252

10607

10608

P23/E2,252

3691 RUE NOTRE-DAME

M. L. H. Lénival
 Sec. Trés. Cite de St-Henri
 l'Imprimerie & Librairie St-Henri
 BEAUDOIN & CIE.
 Papeterie et Articles Religieux. Articles de Fumeurs.

Saint-Henri, 7 Juin 1905

Monsieur,
 je vous soumet une liste des pièces
 pyrotechnique que je lancerai dimanche
 soir le 18 courant à l'endroit désigné par
 vous; pour la somme de cent dollars (\$100.00)

Ouverture.

- 2 fusées (Signal canon)
- 1 Bombe avec bouquet pluie d'or
- 6 Fusées double détente
- 1 Mine électrique avec bouquet } étoiles
- 12 Fusées 1 + 2 lb.
- 12 " Pluie d'or
- 2 soleils combinés avec Serbes
- 1 Bombe vesuvienne
- 12 Fusées aérokite
- 6 Tourbillons langues
- 1 Bouquet handelles chromatique
couleurs nationales.
- 12 Fusées étoiles
- 1 Bombe étoiles.
- 1 Bouquets de 36 Fusées

à suivre



P23/E2,252

3691 RUE NOTRE-DAME

Saint-Henri,

190

M.

EN COMPTE AVEC

L'Imprimerie & Librairie St-Henri

BEAUDOIN & CIE.

Papeterie et Articles Religieux.

Articles de Fumeurs.

1 Mine ar et argent
 12 fusées assorties
 2 " Prismatiques # 4.
 1 " Saule Pleureur # 4.
 12 " Pluie d'ar
 1 Bouquet aérolique avec Bombe
 6 Tourbillons
 12 fusées de 1, 2- et 4 lbs.
 finale { Bombes, Bouquets mine
 et Bouquets de 50 fusées.

1 Bonsoir avec ornements
 Feu de Bengale sur le terrain du
 feu d'artifice

CITE DE SAINT-HENRI

Archive No. 10608

Alph. Beaudoin
Soumission r. feu d'ar
tificiel 9/6/05



P23/E2,252

10608

P23/E2,252

9 Juin 1905.
Province de Québec
Cité de Saint-Henri

A une assemblée
dûment convoquée, en conformité
avec l'avis public donné en date
du 30 Mai 1905, tenue à Saint-Henri,
au Bureau du Conseil, Vendredi le
Neuvième jour de Juin. Mil. neuf.
cent. cinq. pour procéder à la ré-
vision et homologation du Rôle de
Perception des Taxes d'affaires et Licen-
ces de Commerce pour la Cité de Saint-
Henri il est décidé ce qui suit, savoir;

Attendu qu'il n'y a aucune
plainte à l'encontre du Rôle de
Perception de Taxes d'affaires et
Licences de Commerce pour la Cité
de Saint-Henri Je déclare le dit
Rôle Homologué à toutes fins que de
droit, conformément à l'Article
de la Charte de la Cité.

J.B. D'Aquin
Estimateur.

CITE DE SAINT-HENRI

Archive No. 10609

J.B. D. Aquin
Rapport re homologa-
tion du rôle de taxes
d'affaires.

9/6/05



P23/E2,252

10609

10610

P23/E2,252



COMMUNICATION
 JUN 10 1905
 CITÉ DE ST. HENRI

A son Honneur Monsieur
 le Maire Eugène Lucey
 et à Messieurs les échevins
 de la cité de St Henri

Messieurs -
 Relativement à
 une résolution du conseil
 à l'assemblée du 7 courant
 j'ai l'honneur de faire rapport
 j'ai donné les alignements
 pour les rues St Ambroise
 et St Elisabeth, ligne nord
 St Ambroise et Ouest St Eli-
 sabeth et je certifie que
 les tuyaux ("main pipe" de
 la Montreal Water and

10610

P23/E2,252

Cover & sont situés
sur la propriété Clayton

Bien à vous —

J. P. Blanchard, d.c.
Seyenieur de la Cité

St Henri 10 juin 1905

CITE DE SAINT-HENRI

Archive No. 10610

J. E. Blanchard
Rapport re ligne de
rues Ste. Elisabeth et
St. Ambroise.

10/6/05



P23/E2,252

10610

P23/E2,252

10611

Province de Québec
Cité de Saint-Henri

Province de Québec
Cité de Saint-Henri

Aux habitants de la Cité de Saint-Henri et à tous ceux
 qui'il appartiendra.

AVIS PUBLIC est par le présent donné que le Rôle de perception des
 Taxes de Licences et Licences Commerces pour les Quartiers St. An-
 toine, St. Henri, St. Jacques et St. Augustin, est complété et qu'il est
 maintenant déposé au Bureau du sousigné, à l'Hotel-de-Ville.

Toutes les personnes y mentionnées comme sujettes au paie-
 ment d'une telle licence, sont par les présentes sommées d'en pa-
 yer le montant au sousigné, à son dit bureau, dans les dix jours de
 cette date, sans avis ultérieur.

J. M. Sureau

Greffier et Trésorier.

Hotel-de-Ville de
St. Henri, 10 Juin 1905.

Province of Québec
City of Saint Henri

To the Inhabitants of the City of Saint Henri and to all
 Whom it may concern.

Public Notice is hereby given that the assessment roll for business
 tax or Licences, for St. Antoine, St. Henri, St. James and St. Augustin
 Wards, of the City of saint Henri, is completed, and is now deposited
 in the office of the undersigned, in the City Hall.

All persons whose names appear therein as liable for the payment
 of any tax or licence, are hereby required to pay the amount thereof
 to the undersigned, at my said office, within ten days from this day
 without further notice.

J. M. Sureau

City Clerk & Treasurer.

City Hall, St. Henri,
10 June, 1905.

10611

P23/E2,252

Province de Québec
Cité de Saint-Henri

Province de Québec
Cité de Saint-Henri

Aux Habitants de la Cité de Saint-Henri et à tous ceux
 qu'il appartiendra.

AVIS PUBLIC est par le représentant que le Rôle de perception des
 Taxes d'Affaires et Licences, Commerce pour les Quartiers St. An-
 toine, St. Henri, St. Jacques et St. Augustin, est complété et qu'il est
 maintenant déposé au Bureau du sousigné, à l'Hotel-de-Ville.

Toutes les personnes y mentionnées comme sujettes au paie-
 ment d'une taxe ou licence, sont par les présentes sommées d'en pa-
 yer le montant au soussigné, à son dit bureau, dans les dix jours de
 cette date, sans avis ultérieur.

J. M. Sureau

Greffier et Trésorier.

Hotel-de-Ville de
St. Henri, 10 Juin 1905.

Province of Quebec
City of Saint Henri

To the Inhabitants of the City of Saint Henri and to all
Whom it may concern.

Public Notice is hereby given that the assessment roll for business
tax or Licences, for St. Antoine, St. Henri, St. James and St. Augustin
Wards, of the City of Saint Henri, is completed, and is now deposited
in the office of the undersigned, in the City Hall.

All persons whose names appear therein as liable for the payment
of any tax or licence, are hereby required to pay the amount thereof
to the undersigned, at my said office, within ten days from this day
without further notice.

J. M. Sureau

City Clerk & Treasurer.

City Hall, St. Henri,
10 June, 1905.

P23/E2,252

10611

Province de Quebec }
Cite de Saint-Henri

Province de Quebec
Cite de Saint-Henri

Je soussigné, Constable
special pour la Cite de St. Henri fais
rapport sous mon serment d'office que
j'ai affiche trois vrais copies, dument
certifies dans les langues française et
anglaise, au lieu des affiches
donne a St Henri ce 12^{em} jour de
juin 1905

J. B. D. Aguin
Constable Special

[Signature]

Greiffier et Treasorier.

Hotel-de-Ville de
St. Henri, 10 Juin 1905.

Province of Quebec
City of Saint-Henri

To the Inhabitants of the City of Saint-Henri and those to all
Whom it may concern.
Public Notice is hereby given that the assessment roll for business
tax or license, for St. Antoine, St. Henri, St. James and St. Augustin
wards, of the City of Saint-Henri, is completed, and is now deposited
in the office of the undersigned, in the City Hall.
All persons whose names appear therein as liable for the payment
of any tax or license, are hereby required to pay the amount thereof
to the undersigned, at my said office, within ten days from this day
without further notice.

[Signature]

City Clerk & Treasurer.

City Hall, St. Henri,
June 10, 1905.

CITE DE SAINT-HENRI

Archive No. 10611

Avis et retour
re Rôle de Perception
de Taxes d'affaires
10/5/05

P23/E2,252

10611

10612

P23/E2,252

W.S. & B. PARAGON LINEN

Cité de Saint-Henri, 10 Juin, 1905

MADE IN U.S.A.

Monsieur E.N. Sepeca,

Greffier et Trésorier de la
Cité de Saint-Henri.

COMMUNICATION
JUN 10 1905
CITÉ DE ST. HENRI

Monsieur,

J'ai l'honneur de transmettre le rôle de Perception
de taxes d'affaires et licences de commerce pour la Cité de Saint-
Henri, tel que préparé pour l'année 1905-06.

Votre tout dévoué,

J.B.W. Aquin

Estimateur.

CITE DE SAINT-HENRI

Archive No. 10612

J. B. D. Aquin
transmet le rôle de
Perception de taxes déf.
faire. 10/6/05



P23/E2,252

10612

P23/E2,252

PHONES
PRIVATE EXCHANGE { MAIN 3311.
" 3312.
" 3313.

The R. E. T. Pringle Company, Limited.

Manufacturers and Dealers in

Electrical Apparatus and Supplies.

HEAD OFFICE:
172 DALHOUSIE STREET,
MONTREAL

BRANCHES:
105 PRINCE WILLIAM STREET,
ST. JOHN, N.B.

18 TORONTO STREET,
TORONTO, ONT

Montreal June 10th. 1905

L.N. Senecal Esq.,

Secretary Treasurer,

Corporation of St. Henri, P.Q.



Dear Sir,

As we have not heard from you regarding our application to build in St. Henri and obtain Free Taxes from The Corporation, thought it advisable to write you further on this subject, as it is necessary that we obtain an answer immediately regarding our putting up a Building in St. Henri owing to our present premises being somewhat limited in capacity, and owing to the Season getting so late to start building.

We would ask you to kindly bring this matter up before the Council at the first Meeting which we understand is on Monday.

We are also enclosing you Plan of the proposed Buildings which we intend erecting on the ground.

Might say that these Buildings only cover half the ground which we intend purchasing. It is also our intention to erect first the West end portion of this Building.

Might also say that since making this Plan, we have decided that it will be necessary for us to put in a Steam Plant in order to be independent of any troubles with the Lighting Companies, which might arise through

P23/E2,252

2.

L.N.Senecal Esq.(Cont'd)

through prices which they ask for Power etc..


It is very important that this matter be taken up at once and we get a prompt reply as we have to take immediate steps regarding putting up this Building either in St.Henri or elsewhere.

Your very prompt attention to this matter will greatly oblige,

Yours very truly,

RETB.JD.

THE R.E.F. PRINGLE CO. LIMITED



CITE DE SAINT-HENRI

Archive No. 10613

M^r R. E. J. Pringle Coyke
demande une exemp-
tion de taxes.
10/6/05



P23/E2,252

10613

10614

P23/E2,252

M Henri 12 Juin 1905.

Cité de St Henri,
Mess. les Échemins,

Je soussigné soumissionnaire pour
le feu d'artifice qui aura
lieu le 18 courant.

Je vous lancerai un feu
composé de fusées, Bombes,
sky Rockets, Soleils, etc.,
pour le montant de (1000)
cent dollars, le tout durera
à peu-près une demi-heure.

A. A. Depocas



CITE DE SAINT-HENRI

Archive No. 10614

H. A. Depocas
Soumission re feu
d'artifice 12/6/05



P23/E2,252

10614

1 0 6 1 5

P23/E2,252



CETTE PIECE

EST ABSENTE

DU DOSSIER

P23/E2,252

12 juin 1905

Province de Québec
Cité de St-Henri

A une session de Comité
général du Conseil de la Cité de St-Henri
tenue à St-Henri au lieu ordinaire
des sessions des dits. Comités le mardi le
douzième jour de Juin mil neuf cent cinq
conformément à la loi, à laquelle assen-
blée sont présents Son Honneur le Maire
Cusque, Guay & M. M. Le Chevalier, W. Robitaille,
Chas. Fortin, P. Royin, J. Chénier, W. Lakeeb,
J. Mapp, J. Sénéchal, J. Villeneuve formant
un quorum sous la présidence de M. Le Maire.
Il est ordonné et statué par résolution du
Comité général comme suit:

M. Joseph Dacout est présent au Comité au
sujet de la ligne d'hydrologation qui lui a
été indiquée pour sa construction nouvelle
sur la rue Sacrée. La question est référée
au Comité des Sotesses et à l'ingénieur
qui devra faire rapport, par Mercredi
prochain.

Resolu et adopté qu'ordre soit donné
à l'ingénieur de ne pas donner d'aliquo-
ments ou il y a emprise par la nouvelle
ligne d'hydrologation, sans en informer
le conseil au préalable.

M. le Président de finances et l'avocat de
la Cité sont délégués à Ottawa.

M. J. Mapp propose secondé par M. Sénéchal
au le soutien de M. Beauvais d'accepter
suoivi \$1000 pour le feu d'artifice et
\$250 pour l'illumination du Parc avec
lanternes chinoises (300 lanternes)

M. le Président des chemins est autorisé à
demander des subventions pour la pierre à



P23/E2,252

a macedam

Resolu que le Gessé soit autorisé a payer a M Danose Campau custode & pompier dans la brigade No 1 un dollar par semaine a partir du 1^{er} Janv 1905 et ce comme arriéage et difference sur augmentation de salaire. M F. Seguin desideus

* plus l'intérêt du savoir. 235.75

Resolu et adopté a l'unanimité que le Gessé de voir soit autorisé a renouveler le Billet a demande de \$38165⁰⁰ a la Banque Provinciale par un acompte de 18165⁰⁰ plus l'intérêt et de 20,000⁰⁰ a demander dans les mêmes termes que le permis de l'intérêt sur le renouvellement qui a été fait sur tout le somme de \$20,000⁰⁰ et M. le Maire et le Gessé sont autorisés a signer.

L'ouverture des soumissions pour vidange est différée

Lecture est faite dans rapport de M J. E. Blais ingénieur au sujet de l'alignement de la rue St. Elisabeth se proposant d'aligner les curbes d'eau de la Municipal Water Works

Lecture est faite du rapport de la Commission Fire insurances recommandant plus de protection contre le feu

Lecture est faite du projet de règlement de construction a l'été des manufactures Lecture est faite dans lettre de La Banque Montreal par son gerant M. Ellet declarant accepter 6750⁰⁰

P23/E2,252

résolu sur le montant de \$ 2500
aux lanternes éclairées (300)

Lecture est faite des lois de la
Assemblée législative No 2533, J. X. Boudrias
de la Cité pour dommages et intérêts
de la rue Notre Dame. M. Beaudin
le procureur réfère à l'assesseur

Le compte de dépenses est divisé de
M. Coderre au 29 Mars 1905 est
de nouveau référé —

Le projet de règlement de la construction
des trottoirs est adopté —
et la séance est levée

adopté en séance
L. Desrosiers
D'Arca
D'Amelroy

CITE DE SAINT-HENRI

Archive No. 10616

Comité Général

"Jos. Davoust"
"Delegation à Ottawa"
"Soumission re Pierre"
"Damase Campeau"
"Banque Provinciale"
"Enlèvement Vidanges"
"J. E. Blanchard Ing."
"Cau. Fire Underwriters"
"Banque Molson"
"A. E. J. Pringle"
"A. Beauvoir. "Feu"
"Bourduas F. D."
"L. Codere"
12/6/05



P23/E2,252

10616

P23/E2,252

10617

P.O. BOX 603.

Montreal Water & Power Co.
Engineering Department.

Imperial Building,

Montreal, 12 June, 1905.

F. H. PITCHER,
CHIEF ENGINEER.
ASSISTANT ENGINEER.

L. N. Senecal, Esq.,
Secretary-Treasurer,
St. Henry.



Dear Sir,-

The Robert Mitchell Company of your Town is urging us to place certain hydrants on Rose de Lima, St. Antoine and St. James Streets, all in conformity with a plan submitted and in accordance with your order of 15 February, 1904.

We notice that the plan requires 1-4 way hydrant on Rose de Lima Street, 1-4 way hydrant on St. Antoine Street and 1-2 way hydrant on St. James Street. In event of our installing 4-way hydrants, as required, we presume the Town will count each such hydrant as 2-2 way hydrants required by the Contract.

Will you kindly confirm this understanding with as little delay as possible, as the Robert Mitchell Company is pressing the matter.

Yours truly,

Montreal Water & Power Company,

F. H. Pitcher
General Manager and Chief Engineer.

*référé au
Comité de l'eau
avec instruction de
faire rapport*

CITE DE SAINT-HENRI

Archive No. 10617

Montreal Water Tower
re pose de borne-fontaine
chez R. Mitchell Co.
12/6/05



P23/E2,252

10617

10618

P23/E2,252

Lachine Lock 13 juin 1905



A Mr. Le Maire et Mrs. les Echevins de St. Henri

Je vous soumet de vous fournir la quantités de pierre banc Rouge que vous aurez besoins dans le courant de l'été à raison de onze piastres et cinquante centins par toise de 260 pieds cubes ou concassé à raison de dix sept piastres et cinq quante centins par toise de 260 pieds cubes. De plus pour pierres grisse neuf piastres par toises de 260 cubes ou concassés à raison de treize piastres et cinq quante centins par toise de 260 pieds cubes

J P G. plante

CITE DE SAINT-HENRI

Archive No. 10618

J. P. Laplante
Soumission repierre
a macadam.
13/6/05



P23/E2,252

10618

10619

P23/E2,252

PELLETTIER & LÉTOURNEAU,
AVOCATS,
N^o 20, RUE SAINT-JACQUES.

BUREAU DE LA SEIGNEURIE DE BELGIL
TÉLÉPHONE BELL, MAIN 1809

LOUIS CONRAD PELLETIER, C. R.
SEVERIN LÉTOURNEAU, L. L. B.

MONTREAL, 13 Juin, 1905

Monsieur le Maire et
Messieurs les Echevins de la
Cité de Saint Henri P.O.

Messieurs,-

J'ai l'honneur de vous informer que Monsieur le docteur E. Hurtubise m'a chargé de faire valoir la réclamation qu'il a contre votre Corporation pour dommages, au montant de \$ 3.425.00, lui résultant du changement de niveau de la rue Notre Dame en face de ses propriétés près du pont et aussi d'emprises, par votre corporation, sur ses terrains bornant la rue.

A défaut par votre Corporation de voir au règlement de cette affaire, je devrai procéder en justice.

J'ai l'honneur d'être,

Chers messieurs,
Votre dévoué serviteur.



copie à l'avoocat

Severin Létourneau

CITE DE SAINT-HENRI

Archive No. 10619

Severin Letourneau
re reclamation du
M. E. Hurtubise.
13/6/05



P23/E2,252

10619

P23/E2,252

Lachine Juin 13 1905

Mons Le Maire
à Messrs Chevriers de
de la Ville de St Henri

Mons je m'engage à fournir tous
la pierre Bone Rouge, Casser, que la
ville de Henri a besoin, à raison
de \$17⁵⁰/₁₀₀ de sept dollars 50 la toise
livre sur le bord du Canal dans le limite
mesure sur le charge de St Henri
Je prie en demande de votre
Conseil je suis votre serviteur
payable par bulletins ^{negociable}
L. Liger

175 0
3

5250

24
12

48
24

FOLIO DES MINUTES
147
21 Juin
1905
CITE DE ST. HENRI

CITE DE SAINT-HENRI

Archive No. 10620

L. Leger
Soumission re pierre
a macadam.
13/6/05



P23/E2,252

10620

P23/E2,252

Lachine 14 juin 1905



A. La Corporation
de St Henri

Je va Fournir la Pierre
La la Ville araison
de \$ 18.75 la toises
Payable tous les semaine
cette Pierre se ra casse'
pour les Chemin

J. B. Charette
Lachine

CITE DE SAINT-HENRI

Archive No. 10621

J. B. Charette
Soumission re pierre
a macadam.
14/6/05



P23/E2,252

10621

P23/E2,252

J. EMILE VANIER
Ingénieur Civil et Architecte

BUREAU:
No 5 SQUARE BEAVER HALL
MONTREAL

Montreal.

14 Juin 1905.

COMMUNICATION
JUN 16 1905
CITÉ DE ST. HENRI

CITE DE St. HENRI -

On demande pour le 22 Juin courant à 6 h. p. m. des soumissions de prix aux entrepreneurs de spécialité pour la construction d'un égout en briques sur la rue POPLAR à St. HENRI.

Voir les plans, devis etc. chez l'Ingénieur J. EMILE VANIER, 5 Square Beaver Hall, à Montréal, à partir du 17 courant.

LS. N. SÉNÉCAL
G r e f f i e r

* Le Canada publiera les 16, 19 et 21 Avril et enverra le compte d'annonce au Greffier à l'Hotel de Ville, à St. Henri -

P23/E2,252

10622

J. EMILE VANIER
Ingénieur Civil et Architecte

BUREAU:
No 5 SQUARE BEAVER HALL
MONTREAL

Montreal. 14th June 1905.

CITY OF ST. HENRY



Bids are asked from Contractors, up to the 22nd June instant at 6 o'clock p. m. for the construction of a brick sewer on POPLAR STREET.

Plans, specifications, etc. to be seen at the City Engineer's office, Mr. J. EMILE VANIER, 5 Beaver Hall Square, Montreal, from the 17th instant.

Is. N. SENECAI
City Clerk -

The "GAZETTE" will insert advertisement on the 17th, 19th & 21st of June, and the a/c. for same to be sent to the City Clerk, Town Hall St. Henry. -

10622

P23/E2,252

J. EMILE VANIER
Ingénieur Civil et Architecte

BUREAU:
NO. 5 SQUARE BEAVER HALL
MONTREAL.

Cité de St. Henri,
le 22 Juin 1905. -

à son Honneur le Maire
et à M. M. les Echevins de la
Cité de St. Henri -

Messieurs:

Le soussigné a l'honneur de vous proposer de faire les
travaux d'égouts projetés pour finir la RUE POPLAR, le tout suivant
les plans et devis de votre Ingénieur Mons. J. EMILE VANIER, pour le
prix en bloc de deux mil sept cent cinquante 2755⁰⁰

1300 pieds

O. Renaud
Entrepreneur -
Ge. J. St. Germain

Adresse:
34 Rue Napoleon
St. Cyprien

*copie à M. Renaud
le 28*

10622

P23/E2,252

J. EMILE VANIER
Ingénieur Civil et Architecte

BUREAU:
NO. 5 SQUARE BEAVER HALL
MONTREAL.

Cité de St. Henri,
le 22 Juin 1905. -

à son Honneur le Maire
et à M. M. les Echevins de la
Cité de St. Henri -

Messieurs:

Le soussigné a l'honneur de vous proposer de faire les
travaux d'égouts projetés pour finir la RUE POPLAR, le tout suivant
les plans et devis de votre Ingénieur Mons. J. EMILE VANIER, pour le
prix en bloc de Deux mille cinq cent soixante-seize dollars
\$ 2,576.⁰⁰/₁₀₀

A Bray
Entrepreneur -

Adresse:
297 Rue de la

refusé me reved
le 28

CITE DE SAINT-HENRI

Archive No. 10622

Avis et soumissions
re égout rue Poplar.
O. Heneault et
A. Bray & Cie.
14/6/05



voir fol 135

P23/E2,252

10622

10623

P23/E2,252

BELL TEL. MOUNT 933.

S. SIGLER & Co.

DEALERS IN

FURNITURE, CARPETS, OILCLOTHS, STOVES, GO-CARTS, &c

— FOR CASH OR CREDIT —

No 3497 NOTRE DAME ST.

St. Henry of Montreal. *juin 19* 1905

*A Mr. le Maire
et MM. les Echevins
de la Cite de St. Henri.*

Messieurs

*Je desire porter à votre connaissance
et ainsi attirer votre attention sur le fait, que
l'an dernier, j'ai payé pour 1904-5 une taxe
d'affaires plus élevée de beaucoup que celle
payée par autres marchands de mes voisins,
faisant le même commerce que moi, mais
beaucoup plus d'affaires, et en consequence je
me crois justifiable de reclamer la différence
payée en plus que mes voisins, attendu que tous
les marchands entre autres ceux faisant
affaires dans les mêmes lignes doivent être
traités et mis sur un même pied d'égalité.
Pour ces différentes raisons j'ose espérer que
vous prendrez la présente en consideration,
et me rendrez justice en me faisant remise
de la différence payée en trop.*

Notre bien devoué

S. Sigler



CITE DE SAINT-HENRI

Archive No. 10623

S. Sigler
reclame des taxes
payées en trop.
19/6/05



P23/E2,252

10623

P23/E2,252

19 juin 1905
Province de Québec }
Cité de Saint-Henri }

A une assemblée du Comité de l'Annexion de la Cité de Saint-Henri, tenue à Saint-Henri à l'Hotel-de-Ville, Bureau du Conseil, le dix-neuvième jour du mois de Juin, Mil-neuf-cent-cinq, à laquelle assemblée sont présents, Mr le Maire E. Guay M. M. les Echevins W. Robitoux, F. Sigouin, J. Ethier, C. Fortier, W. Labrieche, J. U. Major Jos. Senecal, Jos. Villeneuve et M. M. Geo. Nicholson, O. David, G. O. Messier, G. Lamb D. Letourneau et Rev. A. C. Decarie, il est décidé ce qui suit, sous la présidence de Mr le Maire;

Attendu que la Cité de Saint-Henri est sur le point d'être annexée à la Cité de Montréal, et que les intérêts des deux municipalités seront en commun,

Attendu que la Cité a annoncé en vente le terrain autrefois occupé par le Marché à bestiaux de la dite Cité de Montréal,

Attendu que ce terrain est situé dans les limites de la Cité de Saint-Henri sur la rue Notre-Dame, a un endroit convenable pour y établir un Parc public, ce qui est de nature à donner une grande valeur à la propriété environnante.

Attendu que Mr. le Maire par une lettre adressée au Conseil a suggéré que la vente de ce terrain soit retardée afin d'enther en pour parler au sujet de ce terrain en vue de l'annexion projetée,

Attendu



P23/E2,252

Attendu que le Conseil de Montréal a pris en considération la demande de Mr. le Maire et a résolu de suspendre la procédure jusqu'à nouvel ordre afin de recevoir une délégation du Conseil et du Comité de l'Annexion;

Qu'il soit résolu et il est Résolu et Adopté à l'unanimité que les délégués du Comité de l'Annexion se rendent devant le Conseil de la Cité de Montréal et là, représentent l'importance qu'il y a pour la Cité de Montréal et de Saint-Henri d'établir un parc public sur le dit terrain et demande que ce terrain soit conservé pour un parc public.

et la séance est levée,

Président

L. M. Sureau
Secrétaire
J. M. G. G. G.

CITE DE SAINT-HENRI

Archive No. 10624

Comité d'Annexion
de St. Henri.
re terrain du Marché.
19/6/05



P23/E2,252

10624

10625

P23/E2,252



BUREAU DU GREFFIER DE LA CITÉ.

Hotel de Ville

Montréal 20 juin 1905.

M. E. Guay,
Maire de Saint-Henri,
Frès Montréal.

COMMUNICATION
JUN 22 1905
CITÉ DE ST. HENRI



Monsieur le Maire,

J'ai l'honneur de vous informer que, à une assemblée du Conseil de Ville de Montréal, tenue lundi, le 19 courant, il a été résolu que la Commission des Finances recevra, vendredi, le 23 courant, à 2 heures p.m., dans la Chambre de ladite Commission, à l'Hôtel de Ville, une délégation du Conseil de Saint-Henri et prendra en considération les suggestions que cette délégation pourra faire, en rapport avec la vente de certains terrains.

J'ai l'honneur d'être, Monsieur le Maire,

Votre bien dévoué,

L. O. Lavoie

Greffier de la Cité.

CITE DE SAINT-HENRI

Archive No. 10625

Cité de Montréal
re Comité d'annexion
20/6/05



P23/E2,252

10625

P23/E2,252

21 Juin 1905

Province de Quebec }
Cite de St-Henri

A une session de Comité
Général du Conseil de la
Cite de St-Henri, tenue à St-Henri,
au lieu ordinaire des sessions des dits
Comités, Lundi le Vingt-cinquième jour
de Juin Mil neuf cent cinq, après
moment à la loi à laquelle assistent
sont présents Son Honneur le Maire
Eugène Guay & M. M. les Echevins,
M. Robitton, Chs Fortin, F. Seguin, Edm.
W. Labèque, J. O. Mepr, J. O. Sennechal &
J. O. Villeneuve, fontant un quorum
sous la présidence de M. le Maire.

Il est ordonné et statué par les résolutions du Comité général comme suit:—

Le Comité procède à l'ouverture de
sommiers pour pierre à Macadam

Résolu et adopté qu'un certificat de location
de licence d'auberge soit octroyé à M.
Theophile Seguin au lieu et place de
M. Philippe Vincent au N^o 3361 —
Notre Dame, et que M. le Maire et
le Greffier soient autorisés à signer le
dit certificat

Résolu et adopté que la sommation de
M. ~~Labèque~~ Seguin soit acceptée au
montant de \$1750 par tise de pierre
bonne rouge encassée, line à St-Henri
La Cite prenant ce qu'elle a besoin
jusqu'à concurrence de 300 tises.

(en un seul lot)
et la séance est levée
J. Robitton
M. Sennechal
Président



sur la berge }
du Canal }
mesure sur }
la berge à la }
satisfaction du }
Conseil et d'après }
aux crédits }
designés par }
les inspecteurs }

CITE DE SAINT-HENRI

Archive No. 10626

Comité Général
"Soumission (ou) reprise"
"Transfert de Licence"
"L. Leger" 21/6/05



P23/E2,252

10626

P23/E2,252

TEL. BELMAIN 2784.

Bureau du soir: Hotel-de-Ville, St-Henri.

Coderre, Cédras & Magnan

Avocats, Procureurs, Etc.,

Bureaux: 8 Cote Place d'Armes & 574 Craig
Edifice des Trameways.

Louis Coderre, L.L.B.

Procureur de la Cité de St-Henri.

J. L. Cédras, L.L.B.

J. Geo. Magnan, L.L.B.

Montreal, 21 juin, 1905 190

Au maire et aux échevins,
De la cité de St-Henri.

Messieurs,

Je ne crois pas que le conseil de Ville de St-Henri ait le droit de faire un règlement par lequel il prohiberait d'abord, d'une manière absolue, la construction et l'exploitation de manufactures dans les limites de la cité, ou dans un quartier de la cité, et par lequel, en même temps, le conseil se réserverait le pouvoir d'autoriser, par résolution, à sa discrétion, l'établissement et l'exploitation d'une manufacture ou de manufactures, dans les limites de la cité ou dans un quartier,

Je crois qu'un tel règlement serait illégal en ce sens qu'il pourrait facilement prêter à l'arbitraire, et ~~que~~ ~~comme~~ dans l'application il pourrait donner lieu à ce que les auteurs anglais et américains appellent "Discremination".

D'ailleurs, il est de principe que lorsqu'un conseil de ville doit exercer un certain pouvoir par règlement, l'exercice de ce pouvoir par résolution est illégal. Si le règlement dont je parle plus haut était adopté par le conseil, ce règlement serait amendé chaque fois que le conseil passerait une résolution pour permettre l'établissement d'une manufacture sur un point quelconque de St-Henri.

Et il est aussi de principe qu'un règlement ne peut être amendé que par un autre règlement.

Pour toutes ces raisons, je crois que le règlement mentionné plus haut serait illégal.

Votre bien dévoué,

Louis Coderre.

CITE DE SAINT-HENRI

Archive No. 10627

Louis Codere
au sujet d'un règle-
ment re manufactures.
21/6/05



P23/E2,252

10627

10629

P23/E2,252



BUREAU DU GREFFIER DE LA CITÉ.

Hotel de Ville
Montréal

23 juin 1905 19

Monsieur L.N.Sénécal,
Greffier de la Cité,
St.Henri de Montréal.

COMMUNICATION
JUN 28 1905
CITÉ DE ST. HENRI

Cher Monsieur,

J'ai l'honneur de vous transmettre une résolution du Conseil de Ville de la Cité de Montréal, assemblée tenue Lundi le 26 courant, concernant la vente de certains terrains à St.Henri, appartenant à la Cité de Montréal.

J'ai l'honneur d'être,
Votre tout dévoué,

Rene Pariseh
Sous-Greffier de la Cité.

Caissé sur la table



Extrait des procès-verbaux du Conseil de la Cité de Montréal,
assemblée spéciale, tenue Lundi le 26me jour de juin 1905.

Soumis et lu le rapport suivant de la Commission des Finances
pour remettre la vente de certains terrains à St.Henri.

LA COMMISSION DES FINANCES

à l'honneur de faire rapport.

Qu'elle a pris en considération la requête du Conseil de Ville
de St.Henri, demandant que la vente des terrains que la Cité de Mont-
réal y possède soit retardée, afin qu'une partie de ces terrains puis-
se être convertie en parc public, et qu'elle a entendu une députation
du Conseil de St.Henri à ce sujet, et qu'après délibération, elle a
résolu de recommander au Conseil ^{à accorder} ~~à accorder~~ à cette demande et de re-
tarder cette vente, mais à la condition que le Conseil de St.Henri
n'impose aucunes taxes sur lesdits terrains aussi longtemps qu'ils
ne seront pas vendus.

Le tout respectueusement soumis.

Chambre de la Commission,	(Signé) S.D.Vallières.
Hôtel de Ville,	" L.A.Lepointe.
Montréal, 23 juin 1905.	" C.B.Carter.
	" George W.Sadler.

Sur proposition de l'échevin Vallières,
Appuyé par l'échevin Sadler,

il est,

RESOLU: - - - - - Que ledit rapport soit reçu et adopté.

(Certifié)

Rue Bausch

Sous-Greffier de la Cité.

P23/E2,252



BUREAU DU GREFFIER DE LA CITÉ.

Hotel de Ville
Montréal

23 juin 1905 19

Monsieur L.N.Sénécal,
Greffier de la Cité,
St.Henri de Montréal.



Cher Monsieur,

J'ai l'honneur de vous transmettre une résolution du Conseil de Ville de la Cité de Montréal, assemblée tenue Lundi le 26 courant, concernant la vente de certains terrains à St.Henri, appartenant à la Cité de Montréal.

J'ai l'honneur d'être,
Votre tout dévoué,

Rene Barsch
Sous-Greffier de la Cité.

laisse sur la table



P23/E2,252

Extrait des procès-verbaux du Conseil de la Cité de Montréal,
assemblée spéciale, tenue Lundi le 26me jour de juin 1905.

Soumis et lu le rapport suivant de la Commission des Finances
pour remettre la vente de certains terrains à St.Henri.

LA COMMISSION DES FINANCES

à l'honneur de faire rapport.

Qu'elle a pris en considération la requête du Conseil de Ville
de St.Henri, demandant que la vente des terrains que la Cité de Mont-
réal y possède soit retardée, afin qu'une partie de ces terrains puis-
se être convertie en parc public, et qu'elle a entendu une députation
du Conseil de St.Henri à ce sujet, et qu'après délibération, elle a
résolu de recommander au Conseil ^{d'accéder} ~~à accéder~~ à cette demande et de re-
tarder cette vente, mais à la condition que le Conseil de St.Henri
n'impose aucunes taxes sur lesdits terrains aussi longtemps qu'ils
ne seront pas vendus.

Le tout respectueusement soumis.

Chambre de la Commission,	(Signé) S.D.Vallières.
Hôtel de Ville,	" L.A.Lepointe.
Montréal, 23 juin 1905.	" C.B.Carter.
	" George W.Sadler.

Sur proposition de l'échevin Vallières,
Appuyé par l'échevin Sadler,

il est,

RESOLU: - - - - - Que ledit rapport soit reçu et adopté.

(Certifié)

Rue Bausch

Sous-Greffier de la Cité.

CITE DE SAINT-HENRI

Archive No. 10628

Cité de Montréal
Résolution re terrain
du Marché.
23/6/05



P23/E2,252

10628

10629

P23/E2,252

CHARLES MAGEE, PRESIDENT.

P.M. FEENY, VICE PRES. & MANAGING DIRECTOR

J.M.H. ROBERTSON, DIRECTOR

Head Office
Ottawa
Branches at
Montreal, Toronto
& St. John N.B.

The Canada Saw Company, Limited.

Middle Street

Ottawa, Ont. June 26/05. 1905

To The Mayor and Councillors of
the Town of St. Henri,
St. Henri, Que.

COMMUNICATION
JUN 29 1905
CITÉ DE ST. HENRI

Gentlemen:

The Directors of The Canada Saw Company, Limited, who purchased the Saw Manufacturing business of The James Robertson Company, Limited, in Montreal, Toronto and St. John N.B. have decided to enlarge their Montreal Factory owing to the rapid growth in their trade, and are about to purchase Lot No. 1704 bearing numbers 59, 60, 61, ⁶² 63 and 64 Acorn Ave. in the Town of St. Henri, and wish that you will see your way clear to grant them the usual exemption of taxes etc.

They expect to make this factory their principle one, and no doubt as the business grows they shall be employing more men each year, but expect to start with at least 35 men, whose yearly wages shall be about \$28,000.00 and shall manufacture saws only.

Hoping that this proposition will have your kindest consideration,

I remain,

Yours truly,

L. P. Hamilton
Secy. Treas.

*to usual all
input according
descriptions de taxes
nous en le conseil
par les a and former
leur favor*



CITE DE SAINT-HENRI

Archive No. 10629

The Banda Saw Works
re avantages. 26/6/05



P23/E2,252

10629

P23/E2,252

St. Henri 26 Juin 1905

Au Conseil de ville de St. Henri

Messieurs

Avec les remerciements de la famille pour les témoignages de sympathies offerts à l'occasion du décès de feu Joseph Lenoir. M. D.



Madame Lenoir

CITE DE SAINT-HENRI

Archive No. 10630

Dame Vve. Jos. Lenoir
remercié de Conseil.
26/6/05



P23/E2,252

10630

P23/E2,252

26 juin 1905

Municipalité de Québec
Cité de St-Henri

Une assemblée de Comité
général du Conseil de la Cité de
Saint-Henri, tenue à Saint-Henri, au
lieu ordinaire des sessions des Sts-Comités
Lundi le Vingt-sixième jour de juin mil
neuf cent cinq conformément à l'Art 10
laquelle assemblée, sont présents outre
le Maire Eugène Guay & M. M. le Echevins
M. Robitaille, F. Lizotte, J. O. Maffre, J. S. Sureau
J. S. Villeneuve, formant un quorum sous la
présidence de M. le Maire.

Chs Fortin
Jas. Ettes

Il est ordonné et statué par résolution
du Comité général comme suit:-

Lecture est faite d'une lettre de M. Colas
demandant le paiement de son pécuniaire
hérité avec une recommandation de
son fonctionnement de ce pécuniaire -
référé à l'inspection

Le Greffier est autorisé à faire remise
de \$25⁰⁰ à M. Sigler sur le montant
de sa taxe d'affaire de 1904 & 1905. et
ce sans préjudice -

Lecture est faite d'une lettre de M.
O. David de la Cité de Montréal se
annonçant en date du 20 juin 1905

Les rapports sur le fonctionnement de
l'usine électrique sont présentés

Lecture est faite d'une lettre de J. E.
Montreal Wake & Power Co. demandant qu'il
n'y a pas de revenus suffisants pour
garantir



le pourcentage requis pour retourner la pose
des conduites d'eau sur la rue Dagenais
référé à l'ingénieur Blanchard avec
instruction de s'enquérir et faire rapport
au Conseil du coût possible de la pose des
conduites d'eau sur la rue Dagenais
et revenus au loyer sur cette rue -

Lecture est faite d'une lettre de The
Montreal Water Board Co. re pose de deux
fontaines à 40 pieds à la propriété
Robt. Mitchell -

Référé au Comité de l'eau avec ins-
truction de faire rapport.

Le règlement de construction et étalonne-
ments des usines et manufactures est
lu au comité qui approuve le projet
et recommande au Conseil son adoption
en deuxième lecture.

Le Comité procède à l'ouverture des
sommisions, pour la construction du
canal de gout rue Poplar - après
examen des sommisions la question
est référée au Conseil

et la séance est levée

M. J. G. G. G.
Président

M. B. B. B.
Secrétaire

CITE DE SAINT-HENRI

Archive No. 10631

Comité General

"International Gully (J. Bolas)

"Samuel Sigler

"Cité Montreal Amusement

"Rapport re lumieres"

"Montreal Water & Power Co

"Rue Dagenais"

"Egout rue Poplar"

26/6/05



P23/E2,252

10631

P23/E2,252

The Union of Canadian Municipalities

OFFICERS FOR YEAR 1904-1905

H. LAPORTE, Esq.,
(Mayor of Montreal), President

W. D. LIGHTHALL, M.A.,
(Ex-Mayor of Westmount), Hon. Sec.-Treas

EXECUTIVE COMMITTEE

PROVINCE OF ONTARIO.

1st Vice-President, Hon. Adam Beck, Ex-Mayor of London.
2nd " " Thos. Urquhart, Esq., Mayor of Toronto.
3rd " " J. A. Ellis, Esq., Mayor of Ottawa.
4th " " C. H. Denton, Esq., Ex-Mayor of Tilsonburg.
5th " " J. W. Drake, Esq., Ex-Mayor of Windsor.

PROVINCE OF NOVA SCOTIA.

1st Vice-President, Adam B. Crosby, Esq., Mayor of Halifax.
2nd " " C. H. Campbell, Esq., Alderman "

PROVINCE OF MANITOBA.

1st Vice-President, Thomas Sharpe, Esq., Mayor of Winnipeg.
2nd " " J. G. Latimer, Esq., Alderman "

G. S. WILSON
Asst. Secretary,
Bureau of Information,
107 St. James St., Montreal.

PROVINCE OF PRINCE EDWARD ISLAND.

1st Vice-President, Dr. F. F. Kelly, Mayor of Charlottetown.
2nd " " James Paton, Esq., Councillor
And the President and Hon. Secretary-Treasurer.

PROVINCE OF QUEBEC.

1st Vice-President, C. Gélinas, Esq., Ex-Mayor of St. Louis.
2nd " " C. P. Fabien, Esq., Mayor of Ste. Cunegonde.
3rd " " A. G. Cross, Esq., Ex-Mayor of Westmount.
4th " " E. Guay, Esq., Mayor of St. Henri.
5th " " J. M. Tellier, Esq., Mayor of Joliette.

PROVINCE OF NEW BRUNSWICK.

1st Vice-President, Alex. W. McRae, Esq., Alderman, St. John.
2nd " " John Palmer, Esq., Mayor of Fredericton.

PROVINCE OF BRITISH COLUMBIA.

1st Vice-President, T. F. Neelands, Esq., Ex-Mayor of Vancouver.
2nd " " W. H. Keary, Esq., Mayor of New Westminster.

L. N. SENECAI,

Sec. de la Prov. Que.,
St. Henri.

Saint Henri, 26 Juin, 1905.

A Monsieur le Maire

& Messieurs les Membres du Conseil.

Messieurs :

J'ai l'honneur de vous informer que l'Union des Municipalités Canadiennes, aura sa cinquième convention annuelle, les 25, 26 & 27 Juillet prochain, dans la Cité de Winnipeg.

Cette Convention promet d'être très importante et je vous engage à envoyer des représentants comme délégués de votre Conseil, afin d'en relever davantage l'intérêt.

Je me permettrai de vous faire part d'une circulaire touchant à l'organisation de la convention, conditions de voyage par chemin de fer, etc. Cette circulaire paraîtra sur le journal de l'Union (Numéro de Juin), et je vous prierais de me faire connaître aussitôt qu'il vous sera possible, le nombre de vos délégués, afin que l'Union puisse faire des arrangements de voyage par char spécial.

Je demeure, Monsieur le Maire et Messieurs du Conseil,
avec haute considération,

Votre bien dévoué,

L. N. Senecai
Secrétaire pour la Province.

Comité Lunas



The Union of Canadian Municipalities

OFFICERS FOR YEAR 1904-1905

H. LAPORTE, Esq.,
(Mayor of Montreal), President.

W. D. LIGHTHALL, M.A.,
(Ex-Mayor of Westmount), Hon. Sec.-Treas.

EXECUTIVE COMMITTEE

PROVINCE OF ONTARIO.

1st Vice-President, Hon. Adam Beck, Ex-Mayor of London.
2nd " " Thos. Urquhart, Esq., Mayor of Toronto.
3rd " " J. A. Ellis, Esq., Mayor of Ottawa.
4th " " C. H. Denton, Esq., Ex-Mayor of Tilsonburg.
5th " " J. W. Drake, Esq., Ex-Mayor of Windsor.

PROVINCE OF NOVA SCOTIA.

1st Vice-President, Adam B. Crosby, Esq., Mayor of Halifax.
2nd " " C. H. Campbell, Esq., Alderman "

PROVINCE OF MANITOBA.

1st Vice-President, Thomas Sharpe, Esq., Mayor of Winnipeg.
2nd " " J. G. Latimer, Esq., Alderman "

G. S. WILSON
Asst. Secretary,
Bureau of Information,
107 St. James St., Montreal.

PROVINCE OF PRINCE EDWARD ISLAND.

1st Vice-President, Dr. F. F. Kelly, Mayor of Charlottetown.
2nd " " James Paton, Esq., Councillor "
And the President and Hon. Secretary-Treasurer.

PROVINCE OF QUEBEC.

1st Vice-President, O. Gélinas, Esq., Ex-Mayor of St. Louis.
2nd " " C. P. Fabien, Esq., Mayor of Ste. Cunegonde.
3rd " " A. G. Cross, Esq., Ex-Mayor of Westmount.
4th " " E. Guay, Esq., Mayor of St. Henri.
5th " " J. M. Tellier, Esq., Mayor of Joliette.

PROVINCE OF NEW BRUNSWICK.

1st Vice-President, Alex. W. McRae, Esq., Alderman, St. John.
2nd " " John Palmer, Esq., Mayor of Fredericton.

PROVINCE OF BRITISH COLUMBIA.

1st Vice-President, T. F. Neelands, Esq., Ex-Mayor of Vancouver.
2nd " " W. H. Keary, Esq., Mayor of New Westminster.

L. N. SENECAI,

Sec. de la Prov. Que.,
St. Henri.

OFFICIAL CIRCULAR No. 4

MONTREAL, JUNE, 1905.

Dear Sir:—

As already advised, the Fifth Annual Convention of the Union will be held at Winnipeg on the 25th, 26th and 27th July.

The headquarters of the Convention will be the City Hall.

The following is a list of the principal Hotels, with rates:

Albion - - \$1.00.	National - - \$1.00 to \$1.50.	Imperial - - \$1.50 to \$2.00.
Manor - - - 1.00.	Vendome - - 1.00 to 1.50.	Commercial - 2.00.
Occidental - 1.00.	Brunswick - 1.50	Winnipeg - - 2.00.
Dufferin - - 1.00 up.	Vivian - - 1.50	Clarendon - 2.00 up.
Gould - - - 1.00 up.	Roblin - - 1.50 up.	Leland - - - 2.00 up.
Ontario - - 1.00 up.	Criterion - - 1.50 up.	Metropolitan 2.00 up.
Palace - - - 1.00 up.	Manitoba - - 1.50 up.	Empire - - - 3.00 up.
Savoy - - - 1.00 up.	Market - - 1.50 up.	Wolseley - -
Richelieu - 1.00 to 1.50	Seymour - - 1.50 up.	Margiaggi's - 2.00 to 5.00, rooms only.

The Eastern Canadian Passenger Association (representing the several Railway Companies) have granted a round trip at ONE FARE for persons attending the Convention, if there are fifty or more, upon the following very liberal conditions:—

Going Tickets, with standard *Certificates*, will be issued July 21st to 27th, inclusive, which will be honored for return up to July 31st.

Delegates must purchase a ticket TO Winnipeg with a standard Certificate.

If the Secretary can certify that fifty or more delegates are in attendance holding properly receipted Certificates, delegates will be returned to original starting point, by the same route as travelled on the going journey, FREE.

If Secretary certifies to less than fifty delegates, the charge will be the difference between fare paid on the going journey and the regular round trip fare.

IMPORTANT.—Certificates must be in the hands of the Secretary of the Union not later than Thursday, July 27th, as without his signature Certificates are void.

From the above conditions it will be seen that the trip to Winnipeg and return can be made for ONE FARE. But to secure this at least FIFTY delegates must present tickets to Winnipeg. It is expected that rates from western points will be the same.

Delegates are invited to visit Fort William and Port Arthur. See letters published in the JOURNAL.

Yours truly,

W. D. LIGHTHALL,

Hon. Secty.-Treas. U. C. M.

PLEASE NOTIFY THE SECRETARY OF
YOUR INTENTION AS SOON AS POSSIBLE

P23/E2,252

The Union of Canadian Municipalities

OFFICERS FOR YEAR 1904-1905

H. LAPORTE, Esq.,
(Mayor of Montreal), President.

W. D. LIGHTHALL, M.A.,
(Ex-Mayor of Westmount), Hon. Sec.-Treas.

EXECUTIVE COMMITTEE

PROVINCE OF ONTARIO.

1st Vice-President, Hon. Adam Beck, Ex-Mayor of London.
2nd " " Thos. Urquhart, Esq., Mayor of Toronto.
3rd " " J. A. Ellis, Esq., Mayor of Ottawa.
4th " " C. H. Denton, Esq., Ex-Mayor of Tilsonburg.
5th " " J. W. Drake, Esq., Ex-Mayor of Windsor.

PROVINCE OF NOVA SCOTIA.

1st Vice-President, Adam B. Crosby, Esq., Mayor of Halifax.
2nd " " C. H. Campbell, Esq., Alderman "

PROVINCE OF MANITOBA.

1st Vice-President, Thomas Sharpe, Esq., Mayor of Winnipeg.
2nd " " J. G. Latimer, Esq., Alderman "

G. S. WILSON
Asst. Secretary,
Bureau of Information,
107 St. James St., Montreal.

PROVINCE OF PRINCE EDWARD ISLAND.

1st Vice-President, Dr. F. F. Kelly, Mayor of Charlottetown.
2nd " " James Paton, Esq., Councillor "
And the President and Hon. Secretary-Treasurer.

L. N. SENECAL,

Sec. de la Prov. Que.,
St. Henri.

PROVINCE OF QUEBEC.

1st Vice-President, C. Gélinas, Esq., Ex-Mayor of St. Louis.
2nd " " C. P. Fabien, Esq., Mayor of Ste. Cunegonde.
3rd " " A. G. Cross, Esq., Ex-Mayor of Westmount.
4th " " E. Guay, Esq., Mayor of St. Henri.
5th " " J. M. Tellier, Esq., Mayor of Joliette.

PROVINCE OF NEW BRUNSWICK.

1st Vice-President, Alex. W. McRae, Esq., Alderman, St. John.
2nd " " John Palmer, Esq., Mayor of Fredericton.

PROVINCE OF BRITISH COLUMBIA.

1st Vice-President, T. F. Neelands, Esq., Ex-Mayor of Vancouver.
2nd " " W. H. Keary, Esq., Mayor of New Westminster.

OFFICIAL CIRCULAR No. 4

MONTREAL, JUNE, 1905.

Dear Sir:—

As already advised, the Fifth Annual Convention of the Union will be held at Winnipeg on the 25th, 26th and 27th July.

The headquarters of the Convention will be the City Hall.

The following is a list of the principal Hotels, with rates:

Albion - - \$1.00.	National - - \$1.00 to \$1.50.	Imperial - - \$1.50 to \$2.00.
Manor - - - 1.00.	Vendome - - 1.00 to 1.50.	Commercial - 2.00.
Occidental - 1.00.	Brunswick - 1.50	Winnipeg - - 2.00.
Dufferin - - 1.00 up.	Vivian - - - 1.50	Clarendon - 2.00 up.
Gould - - - 1.00 up.	Roblin - - - 1.50 up.	Leland - - - 2.00 up.
Ontario - - - 1.00 up.	Criterion - - 1.50 up.	Metropolitan 2.00 up.
Palace - - - 1.00 up.	Manitoba - - 1.50 up.	Empire - - - 3.00 up.
Savoy - - - 1.00 up.	Market - - - 1.50 up.	Wolseley - -
Richelieu - 1.00 to 1.50	Seymour - - 1.50 up.	Margiaggi's - 2.00 to 5.00, rooms only.

The Eastern Canadian Passenger Association (representing the several Railway Companies) have granted a round trip at ONE FARE for persons attending the Convention, if there are fifty or more, upon the following very liberal conditions:—

Going Tickets, with standard *Certificates*, will be issued July 21st to 27th, inclusive, which will be honored for return up to July 31st.

Delegates must purchase a ticket TO Winnipeg with a standard Certificate.

If the Secretary can certify that fifty or more delegates are in attendance holding properly receipted Certificates, delegates will be returned to original starting point, by the same route as travelled on the going journey, FREE.

If Secretary certifies to less than fifty delegates, the charge will be the difference between fare paid on the going journey and the regular round trip fare.

IMPORTANT.—Certificates must be in the hands of the Secretary of the Union not later than Thursday, July 27th, as without his signature Certificates are void.

From the above conditions it will be seen that the trip to Winnipeg and return can be made for ONE FARE. But to secure this at least FIFTY delegates must present tickets to Winnipeg. It is expected that rates from western points will be the same.

Delegates are invited to visit Fort William and Port Arthur. See letters published in the JOURNAL.

Yours truly,

W. D. LIGHTHALL,
Hon. Secty.-Treas. U. C. M.

PLEASE NOTIFY THE SECRETARY OF
YOUR INTENTION AS SOON AS POSSIBLE

P23/E2,252

Juin, 1958
 que nous de vous dire
 l'honneur de votre présence et
 au sein de votre présence et
 curieuse au sein de nos faire
 vos de la fois les nous et
 Je me ferais un plaisir de
 vous faire
 en faire



Messieurs Le Maire et Mme
 le Maire du Conseil
 Messieurs j'ai l'honneur de vous informer
 que le Comité de Municipalité Canadienne
 tiendra sa prochaine ^{annuelle} convention
 dans la Cité de Winnipeg, et vous êtes
 cordialement invités à prendre part à
 cette convention ^{qui aura lieu} les 25-27 juillet.
~~Comme l'honneur a été obtenu de~~
 Je profite de la circonstance pour attirer
 votre attention sur la lettre
 circulaire qui vous sera adressée en même
 temps que le journal de Le Maire Municipal

The Union of Canadian Municipalities

OFFICERS FOR YEAR 1904-1905

H. LAPORTE, Esq.,
(Mayor of Montreal), President.

W. D. LIGHTHALL, M.A.,
(Ex-Mayor of Westmount), Hon. Sec.-Treas.

EXECUTIVE COMMITTEE

PROVINCE OF ONTARIO.

1st Vice-President, Hon. Adam Beck, Ex-Mayor of London.
2nd " " Thos. Urquhart, Esq., Mayor of Toronto.
3rd " " J. A. Ellis, Esq., Mayor of Ottawa.
4th " " C. H. Denton, Esq., Ex-Mayor of Tilsonburg.
5th " " J. W. Drake, Esq., Ex-Mayor of Windsor.

PROVINCE OF NOVA SCOTIA.

1st Vice-President, Adam B. Crosby, Esq., Mayor of Halifax.
2nd " " C. H. Campbell, Esq., Alderman "

PROVINCE OF MANITOBA.

1st Vice-President, Thomas Sharpe, Esq., Mayor of Winnipeg.
2nd " " J. G. Latimer, Esq., Alderman "

G. S. WILSON
Asst. Secretary,
Bureau of Information,
107 St. James St., Montreal.

PROVINCE OF PRINCE EDWARD ISLAND.

1st Vice-President, Dr. F. F. Kelly, Mayor of Charlottetown.
2nd " " James Paton, Esq., Councillor "
And the President and Hon. Secretary-Treasurer.

L. N. SENECAI,

Sec. de la Prov. Que.,
St. Henri.

PROVINCE OF QUEBEC.

1st Vice-President, C. Gélinas, Esq., Ex-Mayor of St. Louis.
2nd " " C. P. Fabien, Esq., Mayor of Ste. Cunegonde.
3rd " " A. G. Cross, Esq., Ex-Mayor of Westmount.
4th " " E. Guay, Esq., Mayor of St. Henri.
5th " " J. M. Tellier, Esq., Mayor of Joliette.

PROVINCE OF NEW BRUNSWICK.

1st Vice-President, Alex. W. McRae, Esq., Alderman, St. John.
2nd " " John Palmer, Esq., Mayor of Fredericton.

PROVINCE OF BRITISH COLUMBIA.

1st Vice-President, T. F. Neelands, Esq., Ex-Mayor of Vancouver.
2nd " " W. H. Keary, Esq., Mayor of New Westminster.

ANNUAL CONVENTION

— OF THE —

UNION OF CANADIAN MUNICIPALITIES.

☪ The Journal is authorized to state that, since going to press with the present issue, the Executive Committee has decided to accept the invitation of Winnipeg, Man., to hold the Annual Convention there.

Full particulars will be given in our next issue.



CITE DE SAINT-HENRI

Archive No. 10632

Union Municipales
Canadiennes
re Convention
26/6/05



P23/E2,252

10632

10633

P23/E2,252

Montreal Water & Power Co.

Montreal, 27 June, 1905.

To the
Mayor and Councillors of the
City of St. Henry.



Dear Sirs,-

We wish to draw your attention to the fact that a number of saloon keepers in the City of St. Henry are making use of water for the purpose of operating beer pumps, for which the Company has established and charged a rate of \$6.00 per annum. The payment of this amount has been disputed, it being contended by the users that the Water Committee of the City of St. Henry should have ascertained, by meter, the quantity of water used, and the matter is now in the Courts.

While we do not admit this construction, yet we desire to have this matter definitely determined, and under reserve of our rights, we would ask you to co-operate with us in this matter and instruct us to make a test, on your behalf, to ascertain, by meter, the quantity of water used to operate beer pumps.

Yours very truly,

Montreal Water & Power Company,

G. H. Stott
General Manager and Chief Engineer.

le conseil ne peut intervenir

CITE DE SAINT-HENRI

Archive No. 10633

Montreal Water and
Power Co.
re eau pour pompes
à biere. 27/6/05



P23/E2,252

10633

P23/E2,252

Montréal, 28 juin, 1905.

Au maire et aux échevins,
De la cité de St-Henri.

COMMUNICATION
JUN 28 1905
CITÉ DE ST. HENRI

Messieurs,

Le juge Fortin a maintenu l'action prise par H. Marsan & al contre Eugène Guay et la cité de St-Henri annulation de la résolution du conseil en date du 15 juin 1903 et du contrat du 17 juillet de la même année.

Voici quel est le jugement du savant Juge -

"Considérant que les demandeurs ont établi les allégations essentielles de leur déclaration, et que les défendeurs n'ont pas établi celles de leur défense.

"Considérant que l'acquisition fait par la cité de St-Henri le 17 juillet 1903, par acte reçu devant Archambault, N.P. en conformité d'une résolution de son conseil en date du 15 juillet sus-dit, constitué pour la presque totalité, une expropriation des lisières de terrain décrites au dit acte, pour les fins de l'élargissement des dites rues, et le paiement des dommages résultant de la dite expropriation.

"Considérant que la dite cité n'a passé aucun règlement ordonnant l'élargissement des dites rues et l'expropriation des dites lisières de terrain, et qu'en l'absence de ce règlement, la dite cité n'avait pas le droit de procéder à l'expropriation des dites lisières de terrain comme l'a fait.

FOLIO DES MINUTES
157
28 juin
1905
CITÉ DE ST. HENRI

"Rejette la défense et maintient l'action et casse et annule la dite résolution et le dit acte, et condamne le défendeur Guay à payer et rembourser à la dite cité de St-Henri la dite somme de \$3,160.00, avec intérêt à compter du 17 juillet 1903 le tout avec dépens contre les défendeurs, y compris le coût des exhibits, et la cour réserve au dit défendeur Guay tout recours que de droit, pour le recouvrement de dommages lui résultant du changement de niveau de la rue St-Ferdinand, vis-à-vis le No. 1888".

Refaire au
Bureau de
Lundi

J'ai soutenu, devant le juge Fortin que, comme règle, la cité de St-Henri ne peut décider de l'élargissement d'une rue sans passer un règlement. Mais que, dans le cas actuel, à cause de certaines dispositions de la charte, la cité de St-Henri se trouvait dans l'exception, et avait conséquemment le droit d'agir comme elle a agi. Il me semble que cette opinion aurait dû prévaloir et je serai heureux d'avoir la décision de la Cour d'Appel à ce sujet.

Votre bien dévoué,

Jouis Cadore

CITE DE SAINT-HENRI

Archive No. 10634

Louis Godene
re jugement causé
H. Marsau & al
vs.
E. Guay
28/6/05



P23/E2,252

10634

P23/E2,252

Province de Québec
Cité de Saint Henri.

RÈGLEMENT No. 156.

A une session du Conseil de la Cité de Saint Henri, tenue à Saint Henri, au lieu ordinaire des sessions du dit Conseil, Mercredi le Vingt-huitième jour de Juin, Mil neuf cent cinq, conformément à la loi, à laquelle session sont présents: Son Honneur le Maire Eugène Guay et Messieurs les Échevins W. Robidoux, Charles Fortier, Fred. Sigouin, Jos. Ethier, J.A. Major, Jos. Senechal et Jos. Villeneuve, formant un quorum sous la présidence de Mr. le Maire;

Il est ordonné et statué par le Règlement No. 156 des règlements du dit conseil:

Section 1ère: - Le Règlement No. 150 des règlements du Conseil de la Cité de Saint Henri est par le présent amendé, en ajoutant après la section 10 du dit règlement la section suivante: -

"Section 10a: - La section 10 du règlement No. 150, autant qu'il s'agit des manufactures et des usines, s'appliquera à tout le territoire de la Cité de Saint Henri compris dans les limites statutaires actuelles de la Cité, moins la rue St. Ambroise, côté Sud, jusqu'au Canal, à partir de la rue Atwater au Chemin de la Côte St. Paul."

Section 2ème: - Le présent Règlement viendra en vigueur le jour de sa publication et aura force pour l'avenir seulement.

Eugène Guay
Maire.

J. Senechal
Greffier et Trésorier.



P23/E2,252

Province de Québec
Cité de Saint-Henri.

Aux Habitants de la Cité de Saint-Henri et à tous ceux qu'il
appartiendra.

AVIS PUBLIC est par le présent donné qu'à une session générale du
Conseil de la Cité de Saint-Henri, tenue à Saint-Henri, au lieu ordi-
naire des sessions du dit Conseil, Mercredi le Vingt-huitième jour
de Juin, Mil neuf cent cinq (1905), un règlement sous le numéro Cent
cinquante six (156) a été passé et adopté, amendant le règlement No. 1
150 des règlements de la Cité, tel que le tout appert plus amplement
au dit Règlement No. 156.

Il peut être pris communication du dit règlement No. 156 au
bureau du Conseil, entre neuf heures de l'avant-midi et quatre heu-
res de l'après-midi les jours de bureau.

Donné à Saint-Henri sous mon seing et le sceau de la Corporation,
ce Vingt-neuvième jour de Juin 1905.

J. P. Senecal
Greffier et Trésorier.

Province de Québec
Cité de Saint-Henri

P23/E2,252

Province of Quebec
City of Saint-Henri.

To the Inhabitants of the City of Saint-Henri and to all whom
it may concern.

PUBLIC NOTICE is hereby given that at a general meeting of the
Council of the City of Saint-Henri, held at Saint-Henri, at the ordi-
nary place of meetings of the said Council, Wednesday the Twenty-ei-
ght day of June, One thousand nine hundred and five (1905), a by-law
under number One hundred and fifty six (156) was passed and adopted
amending By-Law number 150 of the by-laws of the City, as more fully
shown on said by-law No. 156.

It can be taken communication of the said by-law No. 156 at the
office of the Council during the office days, from nine o'clock in
the forenoon to four o'clock in the afternoon.

Given at Saint-Henri, under my hand and the seal of the Corporation,
this twenty-ninth of June 1905.

J. M. Senecal

City Clerk and Treasurer

P23/E2,252

Province de Québec
Cité de Saint Henri.

Je soussigné, J.B. Doler Aquin, Constable Spécial de la Cité de Saint Henri, Certifie sous mon serment d'office que le Vingt-neuvième jour de Juin 1905, J'ai affiché trois vraies copies du Règlement et de l'avis public ci-annexés, et ce aux endroits ordinaires des affiches dans la Cité de Saint Henri.

En foi de quoi J'ai fait et donné le présent rapport ce Trentième jour de Juin 1905 pour servir et valoir ce quede droit.

J.B. D. Aquin

Constable Spécial.

CITE DE SAINT-HENRI

Archive No. 10635

Reglement No 156
re site des manufactures.
28/6/05



P23/E2,252

10635

P23/E2,252

Rapport concernant les Lumières Electriques dans la Cité de St-Henri

DATE	RUE	Heures	Minutes	RAPPORT FAIT PAR
1905	Quartiers St Jacques & St Augustin			
Mai 31	Walker & St Jacques	9	00	Lamouche
"	" Quartiers St Jacq. & St Aug.	12	30 @ 100	Perras & Gratton
Juin 3	St Augustin & St Ambroise	9	00	Perras
"	Lacroix & Notre Dame	12	00	Sarand & Francoeur
"	Walker & St Jacques	2	30	Gratton & Campeau
"	4 St Jacques & Place St Henri	9	00	App. Benichon
"	5 Pellet & St Jean	10	30	Terrault & Campeau
"	" St Augustin & St Omelie	1	30	Francoeur & Perras
"	6 Pellet & St Jean	1	45	Terrault & Gratton
"	" St Jacques & Walker	2	30	Terrault & Gratton

Quartiers St Henri & St Antoine

Mai 31
Juin

Copie Signée
 St Henri 7 Juin 1905
 J. M. Maddy

P23/E2,252

Rapport concernant les Lumières Electriques dans la Cité de St-Henri

DATE	RUE	Heures	Minutes	RAPPORT FAIT PAR
<i>Quartiers St Jacques & St Augustin</i>				
juin 7	<i>Pelisle & St Jean</i>	10	30	<i>Terrault & Glatton.</i>
" 8	<i>Pelisle & St Jean</i>	2	30	<i>Glatton & Perras</i>
" "	<i>Walker & St Jacques</i>	2	40	<i>Glatton & Perras</i>
" 10	<i>Surgeon & Ste Anne</i>	8	15	<i>Lampeau</i>
" "	<i>Rose de Lima & Ste Anne</i>	12	05	<i>Glatton & Lamouche</i>
" "	<i>Marie pres du S.T.R.</i>	2	15	<i>Francoeur & Terrault</i>
" "	<i>Atwater & Ste Genevieve</i>	3	00	<i>Francoeur & Terrault</i>
" 12	<i>Lacroix & Barri</i>	11	30	<i>Francoeur & Perras</i>
" 13	<i>Pelisle & St Jean</i>	9	00	<i>Glatton</i>
" "	<i>Pelisle & St Jean</i>	10	30	<i>Glatton</i>

Quartiers St Henri & St Antoine

juin

*Copie Signé -
St Henri 14 juin 1905*

J. D. Massy

P23/E2,252

Rapport concernant les Lumières Electriques dans la Cité de St-Henri

DATE	RUE	Heures	Minutes	RAPPORT FAIT PAR
<i>Quartiers St Jacques & St Augustin</i>				
juin 14	<i>St Amelie & Ottawa</i>	9	00	<i>Francoeur</i>
" "	<i>St Jacques & Laurier</i>	2	30	<i>Gampeau & Terrault</i>
" 15	<i>St Augustin & Notre Dame</i>	12	30	<i>Gratton & Lamouche</i>
" 16	<i>St Jacques & Annie</i>	11	15	<i>Gampeau & Terrault</i>
" "	<i>Ottawa & Pelissé</i>	2	20	<i>Francoeur & Lamouche</i>
" 17	<i>St Jean & Pelissé</i>	12	15	<i>Lamouche & Francoeur</i>
" 19	<i>St Jacques & Laurier</i>	9	00	<i>Larand & Terrault</i>
" "	<i>Rose des Lys & Albert</i>	1	30	<i>Gratton & Perras</i>
" 20	<i>St Jean & Albert</i>	2	45	<i>Perras & Gratton</i>

juin *Quartiers St Henri & St Antoine*



Copie Traicopie J. M. Massy

St Henri 21 Juin 1905

10636

P23/E2,252

Rapport concernant les Lumières Electriques dans la Cité de St-Henri

DATE	RUE	Heures	Minutes	RAPPORT FAIT PAR
<i>Quartiers St Jacques & St Augustin</i>				
juin 21	Pose de Lina & Helise	1	30	Sarand, Gratton
" 22	Pose de Lina & Ambroise	12	30	Francoeur & Gampeau
" 23	St Amelie & Atwater	9	15	Ferrault
" "	St Jacques & Agnes	2	00	Lamouche & Gampeau
" 24	Walker & St Jacques	3	00	Sarand & Perras
" 26	Walker & St Jacques	1	00	Lamouche & Sarand
" 27	Place St Henri & St Jacques	9	30	J. P. Hennichon
" "	Pose de Lina & Albert	3	00	Sarand & Lamouche

Quartiers St Henri & St Antoine
juin

Vraie copie
J. M. Massey
St Henri 28 juin 1905



CITE DE SAINT-HENRI

Archive No. 10636

Rapport re fonctionne
ment des lumieres
electriques 28/6/05



P23/E2,252

10636

P23/E2,252

Montréal, 28 juin, 1905.

Au maire et aux échevins,

De la Cité de St-Henri.



Messieurs,

Dans une cause de Jacques Beauvais contre la cité de St-Henri, le demandeur attaquait la légalité du règlement No. 146 et demandait à la Cour Supérieure de déclarer que ce règlement était nul et sans effet.

Vous savez que ce règlement No. 146 était le règlement des taxes d'affaires de l'an dernier.

Le juge Pagnuelo, le 14 juin courant, a rendu jugement dans cette cause et annulait les articles 13 et 15 du règlement, avec dépens contre la cité.

La clause 13 est cette clause qui donnait à la Cour du Recorder le pouvoir de procéder en l'absence du prévenu et de confisquer son dépôt, au cas où il ne comparait pas au jour fixé par la Cour du Recorder.

La clause 15 est celle qui permettait à la Cour du Recorder de condamner à l'amende ou à l'emprisonnement quiconque exercerait dans les limites de la cité aucun des commerces, occupations, industries, arts, métiers ou professions mentionnés dans le dit règlement, sans avoir, au préalable, payé à la cité la taxe annuelle imposée par le règlement.

Quant au reste, le règlement a été déclaré implicitement légal.

En d'autres termes, le savant juge est d'opinion que la cité de St-Henri avait bien le pouvoir d'imposer une taxe d'affaires, comme elle l'a fait par le règlement No. 146; mais que rien dans la charte ne donnait à la cité le droit de punir ceux qui ne payaient pas la dite taxe. Le seul recours de la cité serait une action civile.

Comme ces deux clauses 13 et 15 se trouvent dans le règlement de cette année, je verrai s'il y a lieu de préparer un règlement amendant celui aujourd'hui en vigueur, de manière à faire disparaître ces deux clauses.

Les frais de l'avocat du demandeur dans cette cause, suivant mémoire de frais taxés, le 22 juin courant, sont de \$114.10.

Je vous prie d'autoriser le greffier à payer ce montant à MM. Laurendeau & Bazin.

Dans



*ambrose
Leger*

P23/E2,252

1 0 6 3 7

- 2 -

COMMUNICATION
JUN 28 1905
CITÉ DE ST. HENRI

Dans une autre cause de Alfred St-Pierre contre la cité de St-Henri et M.G.LaRoche, recorder, le dit Alfred St-Pierre a fait maintenir, avec dépens, contre la cité un bref de certiorari, par lequel il demandait qu'une sentence rendu contre lui, par le recorder LaRoche, fut déclarée nulle, pour les raisons pour lesquelles Beauvais, dans la cause précédente, demandait que le règlement No.146 fut déclaré nul.

Dans cette cause de St-Pierre, le Recorder, s'appuyant sur les clauses 13 et 15 du règlement No.146 avait condamné le dit St-Pierre à l'amende ou à l'emprisonnement.

Comme dans la cause précédente le juge Pagnuelo avait déclaré que les clauses 13 et 15 étaient illégales nulles ~~et~~ *alt* ~~vires~~, j'ai consenti, le 20 juin courant, au maintien du Certiorari, avec dépens.

Les frais dans cette dernière cause sont de \$74.00, payés à MM.Laurendeau & Bazin.

Votre bien dévoué,

Antoine a l'ajout
Louis Codure

CITE DE SAINT-HENRI

Archive No. 10637

Louis Coderre

re causes:

Jacques Beauvais

et

Alfred St Pierre

28/6/05



P23/E2,252

10637

P23/E2,252

Depenses Generales au 30 Juin 1905

	Appropriation	Depenses	Surplus	Excédent
Council	3950	1943 72	2006 28	
Cours du Recorder	650	334	316	
Hôtel de Ville	1930	1203 92 1184 37	726 98 748 63	
Santé Publique	3766	1476 54	2289 46	
Secote	857 57	19 28		19 28
Intérêts	857 57	400 23 01	457 33 99	
Salaires Ouvriers Art No 1	6602	33 27	32 70	
Ent Matiel " "		25 260		25 260
Salaires Ouvriers Art No 2	5356	26 78	26 78	
Ent Mat Art No 2		1680 70		1680 70
habillements	900	775	125	
Nourage	800	373 50	426 50	426 50
Telegraphe Alamy	100	133 36		33 36
Trottoirs		393 81	393 81	393 81
Chemins	8310	3368 98	4941 08	
Contingents	1550	559 68	990 32	
Ent Personnel	2042	1806 06	235 94	
Secours aux Pauvres	550	159	391	
Eau fournie " "		368 31		368 31
Banque St Elisabeth	2000	760 59	1239 11	
Eclairage	10122	4998	5124	
Parcs	1000	228 02	771 98	
Domnages	1300	360	940	
Tras Regard	1400	989 62	410 38	
Froissage	840	398 41	441 59	
Delegations	300	576 50		276 50
Justitieux	375	400		25
Entretien des neiges	3000	569 81 5		269 81 5
Egouts (Cours d' Eau St-Henri)	900	236 90	663 10	
Estimateurs	500		500	
Ameliorations Publiques		750		750
Remboursement de prêt (Café)				
Cafes de l' Auberge & Taxe Municipale		545 40		545 40
Bellech Emprunts	154000 00	767 59 40	742 26 71	6983 11
		3026 993		
		107027 33		



CITE DE SAINT-HENRI

Archive No. 10638

État mensuel
des dépenses au
30/6/05



P23/E2,252

10638